



FEDEX: 7728 3705 7886

February 5, 2015

Ms. Jeanette DeBartolomeo
Maryland Department of the Environment
Oil Control Program
1800 Washington Boulevard
Baltimore, MD 21230

RE: Fourth Quarter 2014 Groundwater Monitoring Report
Southside Oil Facility #20025
31 Heather Lane
Perryville, Cecil County, Maryland
MDE Case No. 2006-0489-CE

Dear Ms. DeBartolomeo:

Kleinfelder, on behalf of Southside Oil, LLC (Southside), is pleased to submit the Groundwater Monitoring Report (GMR) for activities performed during the Fourth Quarter of 2014.

Please contact the undersigned if you have questions regarding the information contained herein.

Sincerely yours,

KLEINFELDER

A handwritten signature in blue ink, appearing to read "Paxton Wertz".

Paxton Wertz
Geologist

A handwritten signature in blue ink, appearing to read "Mark Steele".

Mark Steele
Senior Program Manager

Enclosure

cc: Ms. Devon Watts – Sunoco Inc. (ENFOS)



FOURTH QUARTER 2014 GROUNDWATER MONITORING REPORT

Southside Facility #20025
31 Heather Lane
Perryville, Cecil County, Maryland

REGULATORY INFORMATION

Regulatory Agency:	Maryland Department of the Environment (MDE)
MDE Case No.:	2006-0489-CE
Agency Contact:	Ms. Jeannette DeBartolomeo
Current Case Status:	Quarterly groundwater and potable well sampling, and reporting
Reporting Period:	October 16, 2014 through December 31, 2014
Last Report:	Third Quarter Groundwater Monitoring Report, November 2014

GENERAL SITE INFORMATION

Southside Oil Contact:	Ms. Devon Watts
Consultant Contact:	Mr. Mark Steele
Area Property Use:	See Local Area Map (Figure 1)
Facility Status:	Active branded Exxon service station. Ownership and operation of the UST system was transferred from Exxon Mobil Corporation (ExxonMobil) to Southside Oil, LLC (Southside) on August 25, 2010.
Monitoring Wells:	MW-1 through MW-10D, MW-12 through MW-14, and BR-1
Tank Field Wells:	TF-1 through TF-3
Site Geology:	Clays, silts and sand
Groundwater Flow Direction:	Varied

ACTIVITIES COMPLETED THIS PERIOD

December 8, 2014 – Groundwater Gauging/Sampling

Wells Gauged and Sampled:	MW-2, MW-4, MW-5, MW-6, MW-8, MW-10D, MW-12, MW-13, MW-14, BR-1, TF-1, TF-2 and TF-3
Liquid Phase Hydrocarbon:	None detected
Min./Max. Depth to Water (Monitoring Wells):	19.58 feet (MW-5) / 36.85 feet (MW-13)
Min./Max. Depth to Water (Tank Field):	0.70 feet (TF-2) / 2.04 feet (TF-1)
Hydraulic gradient:	0.071 feet / foot between MW-6 and MW-14
Groundwater Flow Direction:	Southeast

Groundwater samples were collected from certain monitoring wells and tank field wells on December 8, 2014 per the MDE approved sampling schedule. The samples were submitted to Lancaster Laboratories for analysis of full list volatile organic compounds (VOCs), ethanol and fuel oxygenates using Environmental Protection Agency (EPA) Method 8260B and total petroleum hydrocarbon – diesel range organics (TPH-DRO) using EPA Method 8015B. Monitoring and tank field well gauging data and groundwater analytical data are summarized in **Table 1** and depicted on **Figure 2**. The Lancaster Laboratories Analysis Report is included within **Appendix A**.

December 18, 2014 – Potable Well Sampling

Per the MDE's Site Status Letter dated July 30, 2013, the potable wells at 1825 Perryville Road and 1836 Perryville Road were sampled on December 18, 2014. The water samples were submitted under chain of custody protocol to Lancaster Laboratories for analysis of full list VOCs and fuel oxygenates using EPA Method 524.2. A local area map showing the locations of potable wells is included as **Figure 1**. The results of the potable well sampling are summarized in **Table 2**. The Lancaster Laboratories Analysis Reports for potable well sampling activities are included as **Appendix B**.

Methyl tertiary butyl ether was detected at concentrations of 4.7 micrograms per liter ($\mu\text{g}/\text{L}$) and 11 $\mu\text{g}/\text{L}$ in the 1836 Perryville Road and 1825 Perryville Road PI potable well samples, respectively. Decreasing MTBE trends are observed in both potable wells and the MTBE concentrations in the samples collected from the potable well at 1825 Perryville Road have been below the MDE action level of 20 $\mu\text{g}/\text{L}$ since March 2012.

ACTIVITIES PLANNED FOR NEXT PERIOD (FIRST QUARTER 2015)

Activities planned for the First Quarter 2015 include one round of groundwater gauging and sampling of the monitoring well network and tank field wells, and sampling of the potable wells at 1825 Perryville Road and 1836 Perryville Road.

LIMITATIONS

This work was performed in a manner consistent with that level of care and skill ordinarily exercised by other members of Kleinfelder's profession practicing in the same locality, under similar conditions and at the date the services are provided. Our conclusions, opinions and recommendations are based on a limited number of observations and data. It is possible that conditions could vary between or beyond the data evaluated. Kleinfelder makes no other representation, guarantee or warranty, express or implied, regarding the services, communication (oral or written), report, opinion, or instrument of service provided.

FIGURES

- 1 Local Area Map with Potable Well Sample Locations
- 2 Hydrocarbon Distribution/Groundwater Contour Map (December 8, 2014)

TABLES

- 1 Groundwater Monitoring & Analytical Data
- 2 Potable Well Sampling Analytical Data

APPENDICES

- A Lancaster Laboratories Analysis Report: Monitoring Wells
(December 8, 2014)
- B Lancaster Laboratories Analysis Reports: Potable Wells
(December 18, 2014)

Sincerely yours,

KLEINFELDER




Paxton Wertz
Geologist



Mark Steele
Senior Program Manager

FIGURES



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.

400 200 0 400 Feet


Legend

- Monitoring Well
- Bedrock Monitoring Well
- ▲ Tank Field Well
- Soil Boring
- Potable Well
- - - Southside Area
- - - Property Boundary
- ~~~~ Groundwater Contours
- ← Apparent Groundwater Flow Direction
- Contour Interval = 2.0 feet

Well ID
Groundwater Elevation (ft.)
Benzene ($\mu\text{g/L}$)
Toluene ($\mu\text{g/L}$)
Ethybenzene ($\mu\text{g/L}$)
Total Xylenes ($\mu\text{g/L}$)
Methyl Tertiary Butyl Ether (MTBE) ($\mu\text{g/L}$)
Tert Butyl Alcohol (TBA) ($\mu\text{g/L}$)
Tert Amyl Methyl Ether (TAME) ($\mu\text{g/L}$)
Ethyl Tert Butyl Ether (ETBE) ($\mu\text{g/L}$)
Di-Isopropyl Ether (DIPE) ($\mu\text{g/L}$)
Naphthalene ($\mu\text{g/L}$)
Ethanol ($\mu\text{g/L}$)
Total Petroleum Hydrocarbon-Diesel Range Organics (TPH-DRO) (mg/L)

ND = Not Detected (Reporting Limit)
 NSVD = Not Surveyed to Vertical Datum
 J = Estimated Value
 $\mu\text{g/L}$ = Micrograms per Liter
 mg/L = Milligrams per Liter
 NM = Not Measured
 NS = Not Sampled

NOTE:
 1. MW-10D NOT USED TO DETERMINE GROUNDWATER CONTOURS.



0 40 80 Feet

The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to the accuracy, completeness, timeliness, or fitness to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.

TABLES

Table 1
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
BR-1	9/18/2013	83.23	36.92	ND	ND	46.31	ND(5)	ND(5)	ND(5)	ND(5)	59	120	ND(5)	ND(5)	ND(5)	ND(5)	0.64	0.064	ND(250)	
	12/12/2013	83.23	36.31	ND	ND	46.92	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	3/20/2014	83.23	35.77	ND	ND	47.46	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	6/30/2014	83.23	35.41	ND	ND	47.82	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	9/22/2014	83.23	35.69	ND	ND	47.54	1	ND(1)	ND(1)	ND(1)	230	660	11	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)	*
	10/15/2014	83.23	35.79	ND	ND	47.44	ND(1)	ND(1)	ND(1)	ND(1)	4	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	NA	
	12/8/2014	83.23	35.90	ND	ND	47.33	ND(1)	ND(1)	ND(1)	ND(1)	10	24	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data
 Southside Facility #20025
 31 Heather Lane
 Perryville, Maryland
 August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
MW-1	8/15/2005	89.87	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	3/17/2006	89.87	32.55	ND	ND	57.32	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	8/16/2006	89.87	33.13	ND	ND	56.74	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	NA	ND(0.20)	NA	
	2/28/2007	89.87	32.20	ND	ND	57.67	2.9	0.62	29.2	59.4	0.38	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	4.8	0.231	0.424	NA
	6/7/2007	89.87	31.95	ND	ND	57.92	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.86 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	10/2/2007	89.87	33.18	ND	ND	56.69	2.8	0.39 J	18.8	19.8	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	6.7	ND(0.10)	ND(0.20)	NA	
	3/27/2008	89.87	33.16	ND	ND	56.71	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	NA	ND(0.20)	NA	
	9/24/2008	89.87	33.22	ND	ND	56.65	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(1.0)	ND(0.20)	NA	
	3/23/2009	89.87	33.92	ND	ND	55.95	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	NA	ND(0.20)	NA	
	9/5/2009	89.87	33.19	ND	ND	56.68	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0.220	ND(0.20)	NA	
	1/26/2010	89.87	32.04	ND	ND	57.83	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	10/7/2010	89.87	32.11	ND	ND	57.76	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.11	ND(0.05)	NA	
	4/14/2011	89.87	32.46	ND	ND	57.41	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	9/10/2011	89.87	32.87	ND	ND	57.00	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.36	ND(0.050)	NA	
	12/8/2011	89.87	32.12	ND	ND	57.75	ND(25)	ND(25)	ND(25)	ND(25)	ND(25)	ND(400)	ND(25)	ND(25)	ND(25)	ND(25)	2.4	ND(0.25)	NA	
	3/27/2012	89.87	32.33	ND	ND	57.54	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.30	ND(0.050)	NA	
	6/11/2012	89.87	33.02	ND	ND	56.85	ND(5)	ND(5)	6	38	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	55	NA	0.48	NA
	8/29/2012	89.87	33.47	ND	ND	56.40	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	11/17/2012	89.87	33.62	ND	ND	56.25	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	4/5/2013	89.87	33.81	ND	ND	56.06	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	6/21/2013	89.87	33.57	ND	ND	56.30	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.094)	ND(0.050)	ND(250)
	9/18/2013	89.87	32.51	ND	ND	57.36	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)
	12/12/2013	89.87	32.75	ND	ND	57.12	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	3/20/2014	89.87	32.03	ND	ND	57.84	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	9900
	4/18/2014	89.87	32.51	ND	ND	57.36	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	ND(250)
	6/30/2014	89.87	32.03	ND	ND	57.84	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	9/22/2014	89.87	32.17	ND	ND	57.70	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	12/8/2014	89.87	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data
 Southside Facility #20025
 31 Heather Lane
 Perryville, Maryland
 August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)
MW-2	8/15/2005	86.17	27.09	ND	ND	59.08	ND	ND	ND	ND	880	NA	NA	NA	NA	NA	NA	NA	NA
	3/17/2006	86.17	26.45	ND	ND	59.72	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	528	ND(25)	27.6	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	0.560	NA
	8/16/2006	86.17	27.12	ND	ND	59.05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	12.0	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	2/28/2007	86.17	26.82	ND	ND	59.35	6.7	1.2	54.1	120	33.0	ND(25)	1.3	ND(5.0)	ND(5.0)	8.8	0.320	0.878	NA
	6/7/2007	86.17	28.91	ND	ND	57.26	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	14.0	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0.219	ND(0.20)	NA
	10/2/2007	86.17	27.23	ND	ND	58.94	1.2	0.22 J	8.4	9.3	13.1	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	3.1 J	ND(0.10)	ND(0.20)	NA
	3/27/2008	86.17	26.59	ND	ND	59.58	ND(1.0)	ND(1.0)	ND(1.0)	0.46	40.0	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0.213	ND(0.20)	NA
	9/24/2008	86.17	27.12	ND	ND	59.05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	3/23/2009	86.17	26.84	ND	ND	59.33	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	9.4	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0.294	ND(0.20)	NA
	9/5/2009	86.17	26.91	ND	ND	59.26	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	4.9	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	1/26/2010	86.17	26.73	ND	ND	59.44	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7.4	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	10/7/2010	86.17	26.80	ND	ND	59.37	ND(5)	ND(5)	ND(5)	ND(5)	20	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.23	ND(0.05)	NA
	4/14/2011	86.17	26.66	ND	ND	59.51	ND(5)	ND(5)	ND(5)	ND(5)	110	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.28	0.10	NA
	9/10/2011	86.17	26.86	ND	ND	59.31	ND(5)	ND(5)	ND(5)	ND(5)	39	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.13	ND(0.050)	NA
	12/8/2011	86.17	26.74	ND	ND	59.43	ND(5)	ND(5)	ND(5)	ND(5)	59	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(1.0)	0.062	NA
	3/27/2012	86.17	26.71	ND	ND	59.46	ND(5)	ND(5)	ND(5)	ND(5)	26	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.68	ND(0.050)	NA
	6/11/2012	86.17	26.81	ND	ND	59.36	ND(5)	ND(5)	ND(5)	ND(5)	17	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.53	ND(0.050)	NA
	8/29/2012	86.17	27.03	ND	ND	59.14	ND(5)	ND(5)	ND(5)	ND(5)	11	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	2.0	ND(0.050)	NA
	11/17/2012	86.17	27.01	ND	ND	59.16	ND(5)	ND(5)	ND(5)	ND(5)	17	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.33	ND(0.050)	ND(250)
	4/5/2013	86.17	26.36	ND	ND	59.81	ND(5)	ND(5)	ND(5)	ND(5)	15	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.79	ND(0.050)	ND(250)
	6/21/2013	86.17	26.66	ND	ND	59.51	ND(5)	ND(5)	ND(5)	ND(5)	11	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.59	ND(0.050)	ND(250)
	9/18/2013	86.17	26.85	ND	ND	59.32	ND(5)	ND(5)	ND(5)	ND(5)	9	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.83	ND(0.050)	ND(250)
	12/12/2013	86.17	26.52	ND	ND	59.65	ND(5)	ND(5)	ND(5)	ND(5)	13	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.48	ND(0.050)	ND(250)
	3/20/2014	86.17	26.37	ND	ND	59.80	ND(5)	ND(5)	ND(5)	ND(5)	6	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	7.7	ND(0.050)	ND(250)
	6/30/2014	86.17	26.75	ND	ND	59.42	ND(1)	ND(1)	ND(1)	ND(1)	11	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	1.1	ND(0.050)	ND(250)
	9/22/2014	86.17	26.92	ND	ND	59.25	ND(1)	ND(1)	ND(1)	ND(1)	7	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	0.29	NA	ND(250)
	12/8/2014	86.17	26.57	ND	ND	59.60	ND(1)	ND(1)	ND(1)	ND(1)	12	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
MW-3	8/15/2005	84.83	25.89	ND	ND	58.94	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	
	3/17/2006	84.83	27.15	ND	ND	57.68	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	8/16/2006	84.83	26.75	ND	ND	58.08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.18)	ND(0.20)	NA	
	2/28/2007	84.83	25.65	ND	ND	59.18	6.8	1.1	43.1	94.9	0.91 J	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	6.6	0.395	0.765	NA
	6/7/2007	84.83	25.49	ND	ND	59.34	0.87 J	ND(1.0)	9.3	13.7	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	1.5 J	ND(0.10)	ND(0.20)	NA
	10/2/2007	84.83	27.44	ND	ND	57.39	5.7	0.65	36.7	40.5	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	14.4	2.22	ND(0.20)	NA
	3/27/2008	84.83	27.69	ND	ND	57.14	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0.219	ND(0.20)	NA
	9/24/2008	84.83	27.37	ND	ND	57.46	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	3/23/2009	84.83	29.06	ND	ND	55.77	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	9/5/2009	84.83	27.50	ND	ND	57.33	2.4	0.50	ND(1.0)	0.62	0.60	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	1.5	ND(0.10)	ND(0.20)	NA
	1/26/2010	84.83	24.26	ND	ND	60.57	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	10/7/2010	84.83	24.36	ND	ND	60.47	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.05)	NA	
	4/14/2011	84.83	25.43	ND	ND	59.40	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	9/10/2011	84.83	24.25	ND	ND	60.58	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	1.1	ND(0.050)	NA	
	12/8/2011	84.83	20.16	ND	ND	64.67	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(1.0)	ND(0.050)	NA	
	3/27/2012	84.83	26.44	ND	ND	58.39	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.18	ND(0.050)	NA	
	6/11/2012	84.83	22.05	ND	ND	62.78	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.21	ND(0.050)	NA	
	8/29/2012	84.83	27.18	ND	ND	57.65	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.17	ND(0.050)	NA	
	11/17/2012	84.83	27.99	ND	ND	56.84	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	ND(250)	
	4/5/2013	84.83	28.03	ND	ND	56.80	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.26	ND(0.050)	ND(250)	
	6/21/2013	84.83	27.12	ND	ND	57.71	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.094)	ND(0.050)	ND(250)	
	9/18/2013	84.83	25.88	ND	ND	58.95	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	ND(250)	
	12/12/2013	84.83	25.76	ND	ND	59.07	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	3/20/2014	84.83	25.07	ND	ND	59.76	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	6/30/2014	84.83	24.60	ND	ND	60.23	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	9/22/2014	84.83	24.92	ND	ND	59.91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	12/8/2014	84.83	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)
MW-4	6/7/2007	84.65	23.11	ND	ND	61.54	16.9	10.7	ND(20)	ND(20)	2640	7300	90.0	ND(100)	14.3	ND(100)	ND(0.10)	2.14	NA
	10/2/2007	84.65	23.89	ND	ND	60.76	27.3	9.1	3.2	9.0	3500	8570	117	3.8	17.5	ND(25)	ND(0.10)	4.51	NA
	3/27/2008	84.65	24.47	ND	ND	60.18	36.3	8.8	2.0	5.0	2760	6560	103	2.8	19.0	ND(5.0)	ND(0.10)	2.89	NA
	9/24/2008	84.65	23.71	ND	ND	60.94	30.1	4.9	3.1	10.8	2020	7520	74.0	4.6	16.8	ND(25)	ND(0.10)	3.53	NA
	3/23/2009	84.65	24.16	ND	ND	60.49	24.6	2.0	3.4	7.2	1870	6940	62.7	5.3	16.4	ND(13)	ND(0.10)	2.48	NA
	9/5/2009	84.65	24.07	ND	ND	60.58	31.2	0.99	5.0	9.6	1240	4920	44.6	5.0	16.8	ND(5.0)	ND(0.10)	1.73	NA
	1/26/2010	84.65	23.40	ND	ND	61.25	29.6	1.2	8.8	13.1	826	3890	32.9	5.2	17.8	ND(5.0)	ND(0.10)	1.20	NA
	10/7/2010	84.65	23.80	ND	ND	60.85	27	ND(5)	12	30	510	2300	25	ND(5)	14	ND(5)	0.31	0.68	NA
	4/14/2011	84.65	22.93	ND	ND	61.72	19	ND(5)	8	23	360	1500	17	ND(5)	10	ND(5)	0.25	0.60	NA
	9/10/2011	84.65	23.16	ND	ND	61.49	20	ND(5)	9	24	310	1200	16	ND(5)	11	ND(5)	ND(0.095)	0.55	NA
	12/8/2011	84.65	23.26	ND	ND	61.39	20	ND(5)	7	18	470	1700	23	ND(5)	10	ND(5)	ND(1.0)	0.70	NA
	3/27/2012	84.65	22.40	ND	ND	62.25	16	ND(5)	7	17	320	1000	17	ND(5)	9	ND(5)	0.37	0.51	NA
	6/11/2012	84.65	22.00	ND	ND	62.65	17	ND(5)	7	21	370	1300	17	ND(5)	8	ND(5)	0.24	0.48	NA
	8/29/2012	84.65	22.72	ND	ND	61.93	18	ND(5)	7	19	410	1500	19	ND(5)	8	ND(5)	0.21	0.71	NA
	11/17/2012	84.65	22.61	ND	ND	62.04	19	ND(5)	7	20	290	1100	16	ND(5)	8	ND(5)	0.20	0.42	ND(250)
	4/5/2013	84.65	22.92	ND	ND	61.73	13	ND(5)	ND(5)	5	270	800	12	ND(5)	6	ND(5)	0.45	0.35	ND(250)
	6/21/2013	84.65	22.52	ND	ND	62.13	14	ND(5)	ND(5)	7	280	1100	14	ND(5)	6	ND(5)	0.26	0.40	ND(250)
	9/18/2013	84.65	22.24	ND	ND	62.41	14	ND(5)	ND(5)	6	280	990	14	ND(5)	6	ND(5)	0.49	0.48	ND(250)
	12/12/2013	84.65	23.06	ND	ND	61.59	13	ND(5)	ND(5)	ND(5)	280	1000	13	ND(5)	5	ND(5)	ND(0.10)	0.38	ND(250)
	3/20/2014	84.65	21.76	ND	ND	62.89	11	ND(5)	ND(5)	ND(5)	220	690	11	ND(5)	ND(5)	ND(5)	0.12	0.34	ND(250)
	6/30/2014	84.65	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Inaccessible
	9/22/2014	84.65	22.61	ND	ND	62.04	12	ND(1)	5	4	250	830	11	1	5	ND(5)	ND(0.10)	NA	ND(250)
	12/8/2014	84.65	23.32	ND	ND	61.33	12	ND(1)	4	4	250	730	13	1	5	ND(5)	ND(0.10)	NA	ND(250)

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
MW-5	6/7/2007	80.81	18.50	ND	ND	62.31	0.52 J	ND(1.0)	9.0	12.5	86.3	ND(25)	1.3 J	ND(5.0)	ND(5.0)	1.6 J	ND(0.10)	ND(0.20)	NA	
	10/2/2007	80.81	19.24	ND	ND	61.57	1.2	ND(1.0)	10.3	11.2	3.0	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	6.2	ND(0.10)	ND(0.20)	NA	
	3/27/2008	80.81	19.62	ND	ND	61.19	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	9/24/2008	80.81	19.10	ND	ND	61.71	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	24.6	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	3/23/2009	80.81	20.02	ND	ND	60.79	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.5	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	9/5/2009	80.81	19.01	ND	ND	61.80	0.81	ND(1.0)	ND(1.0)	0.36	1.7	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	1.7	ND(0.10)	ND(0.20)	NA	
	1/26/2010	80.81	19.03	ND	ND	61.78	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.2	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	10/7/2010	80.81	19.09	ND	ND	61.72	ND(5)	ND(5)	ND(5)	ND(5)	59	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	0.063	NA	
	4/14/2011	80.81	18.80	ND	ND	62.01	ND(5)	ND(5)	ND(5)	ND(5)	8	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.15	ND(0.050)	NA	
	9/10/2011	80.81	18.79	ND	ND	62.02	ND(5)	ND(5)	ND(5)	ND(5)	110	290	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	0.11	NA	
	12/8/2011	80.81	18.91	ND	ND	61.90	ND(5)	ND(5)	ND(5)	ND(5)	51	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(1.0)	0.056	NA	
	3/27/2012	80.81	18.62	ND	ND	62.19	ND(5)	ND(5)	ND(5)	ND(5)	49	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	0.054	NA	
	6/11/2012	80.81	18.35	ND	ND	62.46	ND(5)	ND(5)	ND(5)	ND(5)	270	190	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	0.15	NA	
	8/29/2012	80.81	18.32	ND	ND	62.49	ND(5)	ND(5)	ND(5)	ND(5)	38	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	11/17/2012	80.81	19.31	ND	ND	61.50	ND(5)	ND(5)	ND(5)	ND(5)	38	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	ND(250)	
	4/5/2013	80.81	19.52	ND	ND	61.29	ND(5)	ND(5)	ND(5)	ND(5)	10	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)	
	6/21/2013	80.81	19.05	ND	ND	61.76	ND(5)	ND(5)	ND(5)	ND(5)	10	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)	
	9/18/2013	80.81	18.71	ND	ND	62.10	ND(5)	ND(5)	ND(5)	ND(5)	7	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)	
	12/12/2013	80.81	19.33	ND	ND	61.48	ND(5)	ND(5)	ND(5)	ND(5)	8	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	3/20/2014	80.81	18.19	ND	ND	62.62	ND(5)	ND(5)	ND(5)	ND(5)	5	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	5.6	ND(0.050)	ND(250)	
	6/30/2014	80.81	18.52	ND	ND	62.29	ND(1)	ND(1)	ND(1)	ND(1)	78	140	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	0.064	ND(250)	
	9/22/2014	80.81	18.98	ND	ND	61.83	ND(1)	ND(1)	ND(1)	ND(1)	7	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)	
	12/8/2014	80.81	19.58	ND	ND	61.23	ND(1)	ND(1)	ND(1)	ND(1)	35	57	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
MW-6	9/5/2009	83.74	22.05	ND	ND	61.69	2.7	0.39	ND(1.0)	0.35	560	1220	13.7	ND(5.0)	1.1	ND(5.0)	ND(0.10)	0.730	NA	
	1/26/2010	83.74	23.93	ND	ND	59.81	1.1	ND(1.0)	ND(1.0)	ND(1.0)	894	1930	29.3	ND(5.0)	2.7	ND(5.0)	ND(0.10)	0.888	NA	
	10/7/2010	83.74	23.30	ND	ND	60.44	ND(5)	ND(5)	ND(5)	ND(5)	970	2400	32	ND(5)	ND(5)	ND(5)	ND(0.095)	0.73	NA	
	4/14/2011	83.74	23.14	ND	ND	60.60	ND(10)	ND(10)	ND(10)	ND(10)	950	2600	45	ND(10)	ND(10)	ND(10)	ND(0.095)	1.0	NA	
	9/10/2011	83.74	22.25	ND	ND	61.49	ND(5)	ND(5)	ND(5)	ND(5)	240	670	11	ND(5)	ND(5)	ND(5)	ND(1.0)	0.24	NA	
	12/8/2011	83.74	22.15	ND	ND	61.59	ND(5)	ND(5)	ND(5)	ND(5)	340	1100	16	ND(5)	ND(5)	ND(5)	ND(1.0)	0.40	NA	
	3/27/2012	83.74	21.84	ND	ND	61.90	ND(5)	ND(5)	ND(5)	ND(5)	360	990	18	ND(5)	ND(5)	ND(5)	ND(0.096)	0.35	NA	
	6/11/2012	83.74	21.87	ND	ND	61.87	ND(5)	ND(5)	ND(5)	ND(5)	410	1300	22	ND(5)	ND(5)	ND(5)	ND(0.096)	0.34	NA	
	8/29/2012	83.74	21.93	ND	ND	61.81	ND(5)	ND(5)	ND(5)	ND(5)	190	510	9	ND(5)	ND(5)	ND(5)	ND(0.095)	0.22	NA	
	11/17/2012	83.74	22.55	ND	ND	61.19	ND(5)	ND(5)	ND(5)	ND(5)	190	550	9	ND(5)	ND(5)	ND(5)	ND(0.096)	0.16	ND(250)	
	4/5/2013	83.74	23.06	ND	ND	60.68	ND(5)	ND(5)	ND(5)	ND(5)	230	630	11	ND(5)	ND(5)	ND(5)	ND(0.095)	0.25	ND(250)	
	6/21/2013	83.74	22.19	ND	ND	61.55	ND(5)	ND(5)	ND(5)	ND(5)	220	790	13	ND(5)	ND(5)	ND(5)	ND(0.095)	0.24	ND(250)	
	9/18/2013	83.74	21.93	ND	ND	61.81	ND(5)	ND(5)	ND(5)	ND(5)	180	550	10	ND(5)	ND(5)	ND(5)	ND(0.096)	0.23	ND(250)	
	12/12/2013	83.74	22.60	ND	ND	61.14	ND(5)	ND(5)	ND(5)	ND(5)	200	610	10	ND(5)	ND(5)	ND(5)	ND(0.10)	0.18	ND(250)	
	3/20/2014	83.74	21.44	ND	ND	62.30	ND(5)	ND(5)	ND(5)	ND(5)	320	950	18	ND(5)	ND(5)	ND(5)	ND(0.10)	0.30	ND(250)	
	6/30/2014	83.74	22.45	ND	ND	61.29	ND(1)	ND(1)	ND(1)	ND(1)	100	250	5	ND(1)	ND(1)	ND(5)	ND(0.10)	0.090	ND(250)	
	9/22/2014	83.74	22.85	ND	ND	60.89	2	ND(1)	ND(1)	ND(1)	200	510	11	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)	
	12/8/2014	83.74	22.55	ND	ND	61.19	3	ND(1)	ND(1)	ND(1)	290	720	17	ND(1)	3	ND(5)	ND(0.10)	NA	ND(250)	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)
MW-7	9/5/2009	87.56	38.47	ND	ND	49.09	2.1	0.42	ND(1.0)	0.44	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	1.5	0.246	ND(0.20)	NA
	1/26/2010	87.56	29.79	ND	ND	57.77	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	10/7/2010	87.56	28.33	ND	ND	59.23	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.14	ND(0.05)	NA
	4/14/2011	87.56	29.42	ND	ND	58.14	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	9/10/2011	87.56	30.35	ND	ND	57.21	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.16	ND(0.050)	NA
	12/8/2011	87.56	29.75	ND	ND	57.81	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	3/27/2012	87.56	30.07	ND	ND	57.49	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	NA
	6/11/2012	87.56	30.91	ND	ND	56.65	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.098)	ND(0.050)	NA
	8/29/2012	87.56	31.48	ND	ND	56.08	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	11/17/2012	87.56	31.71	ND	ND	55.85	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)
	4/5/2013	87.56	31.82	ND	ND	55.74	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	ND(250)
	6/21/2013	87.56	31.35	ND	ND	56.21	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)
	9/18/2013	87.56	30.05	ND	ND	57.51	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	ND(250)
	12/12/2013	87.56	30.77	ND	ND	56.79	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	3/20/2014	87.56	29.59	ND	ND	57.97	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	6/30/2014	87.56	29.47	ND	ND	58.09	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	9/22/2014	87.56	29.60	ND	ND	57.96	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/8/2014	87.56	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
MW-8	9/5/2009	87.77	30.00	ND	ND	57.77	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.8	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	1/26/2010	87.77	29.39	ND	ND	58.38	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA	
	10/7/2010	87.77	28.56	ND	ND	59.21	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.05)	NA	
	4/14/2011	87.77	29.40	ND	ND	58.37	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	9/10/2011	87.77	29.58	ND	ND	58.19	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	12/8/2011	87.77	29.44	ND	ND	58.33	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA	
	3/27/2012	87.77	29.61	ND	ND	58.16	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA	
	6/11/2012	87.77	29.70	ND	ND	58.07	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA	
	8/29/2012	87.77	29.77	ND	ND	58.00	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA	
	11/17/2012	87.77	29.81	ND	ND	57.96	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)	
	4/5/2013	87.77	30.13	ND	ND	57.64	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.13	ND(0.050)	ND(250)	
	6/21/2013	87.77	29.82	ND	ND	57.95	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)	
	9/18/2013	87.77	29.51	ND	ND	58.26	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	ND(250)	
	12/12/2013	87.77	29.70	ND	ND	58.07	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	3/20/2014	87.77	28.98	ND	ND	58.79	ND(5)	ND(5)	ND(5)	ND(5)	7	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	8.4	ND(0.050)	ND(250)	
	4/18/2014	87.77	29.54	ND	ND	58.23	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	ND(250)	
	6/30/2014	87.77	29.42	ND	ND	58.35	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	ND(0.050)	ND(250)	
	9/22/2014	87.77	29.41	ND	ND	58.36	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)	
	12/8/2014	87.77	29.60	ND	ND	58.17	ND(1)	ND(1)	ND(1)	ND(1)	1	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)
MW-9	9/5/2009	89.05	30.63	ND	ND	58.42	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	1/26/2010	89.05	27.48	ND	ND	61.57	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.66	ND(25)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(0.10)	ND(0.20)	NA
	10/7/2010	89.05	27.56	ND	ND	61.49	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.094)	ND(0.05)	NA
	4/14/2011	89.05	26.93	ND	ND	62.12	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	9/10/2011	89.05	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	9/29/2011	89.05	28.91	ND	ND	60.14	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	12/8/2011	89.05	27.05	ND	ND	62.00	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	3/27/2012	89.05	27.39	ND	ND	61.66	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA
	6/11/2012	89.05	27.55	ND	ND	61.50	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	NA
	8/29/2012	89.05	27.55	ND	ND	61.50	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA
	11/17/2012	89.05	27.72	ND	ND	61.33	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)
	4/5/2013	89.05	27.93	ND	ND	61.12	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.094)	ND(0.050)	ND(250)
	6/21/2013	89.05	27.86	ND	ND	61.19	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.094)	ND(0.050)	ND(250)
	9/18/2013	89.05	27.34	ND	ND	61.71	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	ND(250)
	12/12/2013	89.05	27.39	ND	ND	61.66	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	3/20/2014	89.05	26.85	ND	ND	62.20	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	7700
	4/18/2014	89.05	28.01	ND	ND	61.04	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	ND(250)
	6/30/2014	89.05	27.61	ND	ND	61.44	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	0.45	ND(0.050)	ND(250)
	9/22/2014	89.05	27.84	ND	ND	61.21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	12/8/2014	89.05	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments		
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)		
MW-10D	9/10/2011	82.61	28.18	ND	ND	54.43	ND(5)	ND(5)	ND(5)	ND(5)	26	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	2.0	0.077	NA		
	12/8/2011	82.61	26.77	ND	ND	55.84	ND(5)	ND(5)	ND(5)	ND(5)	75	230	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	2.1	0.084	NA	
	3/27/2012	82.61	28.15	ND	ND	54.46	ND(5)	ND(5)	ND(5)	ND(5)	400	980	20	ND(5)	ND(5)	ND(5)	ND(5)	0.97	0.38	NA	
	6/11/2012	82.61	28.69	ND	ND	53.92	ND(5)	ND(5)	ND(5)	ND(5)	140	350	6	ND(5)	ND(5)	ND(5)	ND(5)	0.13	0.080	NA	
	8/29/2012	82.61	29.31	ND	ND	53.30	ND(5)	ND(5)	ND(5)	ND(5)	420	1300	21	ND(5)	ND(5)	ND(5)	ND(5)	0.26	0.57	NA	
	11/17/2012	82.61	29.00	ND	ND	53.61	ND(5)	ND(5)	ND(5)	ND(5)	350	1300	18	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	0.33	ND(250)	
	4/5/2013	82.61	30.80	ND	ND	51.81	ND(5)	ND(5)	ND(5)	ND(5)	93	240	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	0.23	0.19	ND(250)	
	6/21/2013	82.61	30.30	ND	ND	52.31	ND(5)	ND(5)	ND(5)	ND(5)	320	1200	18	ND(5)	ND(5)	ND(5)	ND(5)	0.51	0.37	ND(250)	
	9/18/2013	82.61	29.32	ND	ND	53.29	ND(5)	ND(5)	ND(5)	ND(5)	270	880	14	ND(5)	ND(5)	ND(5)	ND(5)	0.18	0.26	ND(250)	
	12/12/2013	82.61	29.32	ND	ND	53.29	ND(5)	ND(5)	ND(5)	ND(5)	37	100	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	0.074	ND(250)	
	3/20/2014	82.61	28.82	ND	ND	53.79	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)		
	6/30/2014	82.61	29.33	ND	ND	53.28	2	ND(1)	ND(1)	ND(1)	280	790	15	ND(1)	2	ND(5)	ND(0.10)	0.24	ND(250)		
	9/22/2014	82.61	29.44	ND	ND	53.17	1	ND(1)	ND(1)	ND(1)	210	590	11	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)		
	12/8/2014	82.61	29.06	ND	ND	53.55	2	ND(1)	ND(1)	ND(1)	300	890	18	ND(1)	3	ND(5)	ND(0.10)	NA	ND(250)		

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments		
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)		
MW-12	9/10/2011	70.57	30.52	ND	ND	40.05	ND(5)	ND(5)	ND(5)	ND(5)	6	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(1.0)	ND(0.050)	NA		
	12/16/2011	70.57	30.77	ND	ND	39.80	ND(5)	ND(5)	ND(5)	ND(5)	6	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA		
	3/27/2012	70.57	30.76	ND	ND	39.81	ND(5)	ND(5)	ND(5)	ND(5)	5	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA		
	6/11/2012	70.57	30.97	ND	ND	39.60	ND(5)	ND(5)	ND(5)	ND(5)	6	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	NA		
	8/29/2012	70.57	31.75	ND	ND	38.82	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	NA		
	11/17/2012	70.57	32.56	ND	ND	38.01	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.095)	ND(0.050)	ND(250)		
	4/5/2013	70.57	33.02	ND	ND	37.55	ND(5)	ND(5)	ND(5)	ND(5)	7	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.40	ND(0.050)	ND(250)		
	6/21/2013	70.57	31.31	ND	ND	39.26	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.099)	ND(0.050)	ND(250)		
	9/18/2013	70.57	31.03	ND	ND	39.54	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.096)	ND(0.050)	ND(250)		
	12/12/2013	70.57	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	3/20/2014	70.57	30.54	ND	ND	40.03	ND(5)	ND(5)	ND(5)	ND(5)	16	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)		
	6/30/2014	70.57	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	Inaccessible		
	9/22/2014	70.57	30.82	ND	ND	39.75	ND(1)	ND(1)	ND(1)	ND(1)	160	510	8	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)	*	
	10/15/2014	70.57	30.11	ND	ND	40.46	ND(1)	ND(1)	ND(1)	ND(1)	5	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	NA		
	12/8/2014	70.57	31.00	ND	ND	39.57	ND(1)	ND(1)	ND(1)	ND(1)	5	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)		
MW-13	4/5/2013	85.54	37.45	ND	ND	48.09	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	NA	NA	ND(250)		
	6/21/2013	85.54	36.88	ND	ND	48.66	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	NA	NA	ND(250)		
	9/18/2013	85.54	36.56	ND	ND	48.98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	12/12/2013	85.54	36.83	ND	ND	48.71	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)		
	3/20/2014	85.54	36.36	ND	ND	49.18	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)		
	6/30/2014	85.54	36.24	ND	ND	49.30	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	ND(0.050)	ND(250)		
	9/22/2014	85.54	36.51	ND	ND	49.03	1	ND(1)	ND(1)	ND(1)	ND(1)	180	520	9	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)	*
	10/15/2014	85.54	36.51	ND	ND	49.03	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	NA		
	12/8/2014	85.54	36.85	ND	ND	48.69	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)		

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
MW-14	4/5/2013	65.09	31.03	ND	ND	34.06	ND(5)	ND(5)	ND(5)	ND(5)	15	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.099)	ND(0.050)	ND(250)	
	6/21/2013	65.09	30.59	ND	ND	34.50	ND(5)	ND(5)	ND(5)	ND(5)	12	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	0.12	ND(0.050)	ND(250)
	9/18/2013	65.09	30.31	ND	ND	34.78	ND(5)	ND(5)	ND(5)	ND(5)	16	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.097)	ND(0.050)	ND(250)
	12/12/2013	65.09	30.62	ND	ND	34.47	ND(5)	ND(5)	ND(5)	ND(5)	14	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	3/20/2014	65.09	29.82	ND	ND	35.27	ND(5)	ND(5)	ND(5)	ND(5)	16	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	6/30/2014	65.09	29.91	ND	ND	35.18	ND(1)	ND(1)	ND(1)	ND(1)	12	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	9/22/2014	65.09	30.65	ND	ND	34.44	ND(1)	ND(1)	ND(1)	ND(1)	12	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(5)	ND(0.10)	NA	ND(250)
	12/8/2014	65.09	32.44	ND	ND	32.65	ND(1)	ND(1)	ND(1)	ND(1)	5	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(5)	ND(0.10)	NA	ND(250)

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)
TF-1	3/30/2006	NSVD	4.77	ND	ND	NSVD	106	121	ND(10)	ND(10)	6900	1120	150	58.1	41.6 J	ND(50)	0.304	6.92	NA
	8/16/2006	NSVD	1.75	ND	ND	NSVD	323	222	10.8	33.8	10400	30300	66.3	64.7	26.6	ND(50)	3.09	8.98	NA
	2/28/2007	NSVD	2.28	ND	ND	NSVD	149	20.0	845	990	3240	18400	ND(25)	ND(25)	34.8	191	6.82	19.8	NA
	6/7/2007	NSVD	2.71	ND	ND	NSVD	92.2	3.6	65.9	3.6	151	1410	9.0	ND(5.0)	27.2	ND(5.0)	1.84	2.04	NA
	10/2/2007	NSVD	3.16	ND	ND	NSVD	137	1.8	92.4	4.3	145	8080	ND(5.0)	12.6	29.2	7.2	1.03	1.80	NA
	3/27/2008	NSVD	2.47	ND	ND	NSVD	10.3	ND(1.0)	1.6	0.56	10.1	688	ND(5.0)	1.2	1.4	ND(5.0)	0.545	0.619	NA
	9/24/2008	NSVD	2.91	ND	ND	NSVD	14.5	0.65	4.1	9.3	8.9	294	ND(5.0)	0.54	1.3	10.1	1.06	2.17	NA
	3/23/2009	NSVD	2.85	ND	ND	NSVD	45.7	140	62.8	197	11.5	292	3.9	3.3	9.9	5.4	0.895	2.15	NA
	9/5/2009	NSVD	2.65	ND	ND	NSVD	0.73	ND(1.0)	ND(1.0)	0.34	12.1	181	2.0	2.2	10.2	ND(5.0)	0.474	0.298	NA
	1/26/2010	NSVD	2.52	ND	ND	NSVD	1.1	ND(1.0)	ND(1.0)	0.35	1.9	9.7	ND(5.0)	ND(5.0)	0.53	ND(5.0)	0.220	0.393	NA
	10/7/2010	NSVD	2.88	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.69	ND(0.05)	NA
	4/14/2011	NSVD	2.07	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	1.3	0.53	NA
	9/10/2011	NSVD	1.86	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	1.2	0.081	NA
	12/8/2011	NSVD	2.01	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.85	0.13	NA
	3/27/2012	NSVD	2.81	ND	ND	NSVD	18	22	9	11	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.76	0.15	NA
	6/11/2012	NSVD	2.55	ND	ND	NSVD	9	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	8.6	0.41	NA
	8/29/2012	NSVD	2.65	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.50	0.051	NA
	11/17/2012	NSVD	2.55	ND	ND	NSVD	6	6	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.28	0.16	ND(250)
	4/5/2013	NSVD	2.25	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.65	ND(0.050)	ND(250)
	6/21/2013	NSVD	1.97	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.39	ND(0.050)	ND(250)
	9/18/2013	NSVD	2.90	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.38	ND(0.050)	ND(250)
	12/12/2013	NSVD	1.96	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.12	0.071	ND(250)
	3/20/2014	NSVD	2.51	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	6/30/2014	NSVD	2.40	ND	ND	NSVD	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	0.24	ND(0.050)	ND(250)
	9/22/2014	NSVD	2.65	ND	ND	NSVD	ND(1)	ND(1)	ND(1)	ND(1)	140	380	7	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)
	12/8/2014	NSVD	2.04	ND	ND	NSVD	ND(1)	ND(1)	ND(1)	ND(1)	2	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	ND(0.10)	NA	ND(250)

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
TF-2	3/30/2006	NSVD	3.63	ND	ND	NSVD	46.2	ND(1.0)	ND(1.0)	ND(1.0)	10.1	3120	2.5 J	1.0 J	41.3	ND(5.0)	1.18	0.392	NA	
	8/16/2006	NSVD	2.40	ND	ND	NSVD	207	909	708	3210	28900	5660	146	44.1	ND(130)	168	3.15	28.6	NA	
	2/28/2007	NSVD	1.14	ND	ND	NSVD	220	12.0	619	2120	753	29000	10.7	51.5	20.7	135	3.43	16.7	NA	
	6/7/2007	NSVD	1.55	ND	ND	NSVD	194	ND(10)	717	1130	249	21600	ND(50)	37.4	50.9	175	4.49	13.5	NA	
	10/2/2007	NSVD	1.99	ND	ND	NSVD	165	2.6	641	655	29.1	21900	ND(25)	29.0	25.6	192	2.69	8.67	NA	
	3/27/2008	NSVD	0.31	ND	ND	NSVD	75.5	1.8	218	334	40.4	4720	ND(5.0)	9.1	14.0	100	2.66	6.48	NA	
	9/24/2008	NSVD	1.57	ND	ND	NSVD	48.9	7.4	73.1	222	18.1	541	ND(5.0)	1.6	8.0	87.6	1.34	4.89	NA	
	3/23/2009	NSVD	1.45	ND	ND	NSVD	144	169	27.8	113	22.2	417	ND(5.0)	6.2	18.6	59.4	1.37	3.90	NA	
	9/5/2009	NSVD	1.37	ND	ND	NSVD	173	12.2	3.5	13.0	19.2	594	ND(5.0)	6.3	20.1	60.5	1.21	2.35	NA	
	1/26/2010	NSVD	1.16	ND	ND	NSVD	28.2	0.59	0.63	2.7	9.1	135	1.5	1.1	4.1	21.0	0.880	2.01	NA	
	10/7/2010	NSVD	1.70	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.95	ND(0.05)	NA	
	4/14/2011	NSVD	0.88	ND	ND	NSVD	6	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	2.3	0.47	NA
	9/10/2011	NSVD	0.32	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	2.3	0.56	NA
	12/8/2011	NSVD	0.70	ND	ND	NSVD	5	ND(5)	ND(5)	ND(5)	5	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	1.5	0.59	NA
	3/27/2012	NSVD	1.54	ND	ND	NSVD	8	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	1.5	0.58	NA
	6/11/2012	NSVD	1.33	ND	ND	NSVD	15	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	1.2	0.57	NA
	8/29/2012	NSVD	1.40	ND	ND	NSVD	16	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	1.8	0.56	NA
	11/17/2012	NSVD	1.30	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	0.52	0.36	ND(250)
	4/5/2013	NSVD	1.00	ND	ND	NSVD	6	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	1.2	0.31	ND(250)
	6/21/2013	NSVD	0.71	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	0.60	0.17	ND(250)
	9/18/2013	NSVD	1.35	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	9	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	1.1	0.38	ND(250)
	12/12/2013	NSVD	0.68	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	0.33	0.24	ND(250)
	3/20/2014	NSVD	1.02	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(0.10)	ND(0.050)	ND(250)
	6/30/2014	NSVD	1.08	ND	ND	NSVD	ND(1)	ND(1)	ND(1)	ND(1)	1	ND(20)	ND(1)	ND(1)	ND(1)	ND(1)	ND(5)	0.53	0.22	ND(250)
	9/22/2014	NSVD	1.43	ND	ND	NSVD	ND(1)	ND(1)	ND(1)	ND(1)	150	410	7	ND(1)	2	ND(5)	ND(0.10)	NA	ND(250)	*
	12/8/2014	NSVD	0.70	ND	ND	NSVD	2	ND(1)	ND(1)	ND(1)	ND(1)	2	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	0.39	NA	ND(250)

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Sample ID	Date	Gauging Data					Analytical Data												Comments	
		Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to Hydro-carbon (feet)	Hydro-carbon Thickness (feet)	Corrected GW Elevation (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naphthalene (µg/L)	TPH-DRO (mg/L)	TPH-GRO (mg/L)	Ethanol (µg/L)	
TF-3	3/30/2006	NSVD	4.84	ND	ND	NSVD	14.3	0.81 J	0.61 J	8.9	173	2110	9.5	2.6 J	14.6	ND(5.0)	2.44	0.652	NA	
	8/16/2006	NSVD	NM	NM	NM	NM	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	2/28/2007	NSVD	0.92	ND	ND	NSVD	257	19.8	568	1820	778	27700	ND(25)	ND(25)	8.4 J	98.8	9.42	11.8	NA	
	6/7/2007	NSVD	0.42	ND	ND	NSVD	173	13.8	444	794	423	23600	ND(13)	34.1	7.5	110	4.82	6.15	NA	
	10/2/2007	NSVD	1.51	ND	ND	NSVD	97.9	3.6	48.0	157	17.5	12400	ND(5.0)	14.0	4.9 J	157	2.71	2.77	NA	
	3/27/2008	NSVD	0.27	ND	ND	NSVD	41.1	6.7	9.3	254	60.1	3270	ND(5.0)	5.4	3.6	89.2	30.7	1.65	NA	
	9/24/2008	NSVD	0.96	ND	ND	NSVD	23.4	2.0	1.2	17.7	12.2	1040	ND(5.0)	1.7	4.0	88.6	1.56	0.727	NA	
	3/23/2009	NSVD	0.77	ND	ND	NSVD	48.7	25.5	7.2	42.1	21.7	547	3.2 J	2.8 J	7.4	53.7	21.3	0.994	NA	
	9/5/2009	NSVD	1.00	ND	ND	NSVD	106	16.3	1.5	24.9	33.0	647	3.3	5.1	16.7	62.5	3.11	1.25	NA	
	1/26/2010	NSVD	0.40	ND	ND	NSVD	23.5	2.7	2.3	9.0	12.4	161	1.1 J	0.62 J	2.1 J	22.3	0.869	1.55	NA	
	10/7/2010	NSVD	1.04	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	2.1	ND(0.05)	NA	
	4/14/2011	NSVD	0.67	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	1.7	0.46	NA	
	9/10/2011	NSVD	0.02	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	14	0.059	NA	
	12/8/2011	NSVD	0.80	ND	ND	NSVD	21	ND(5)	ND(5)	ND(5)	7	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	4.6	0.20	NA	
	3/27/2012	NSVD	0.98	ND	ND	NSVD	ND(50)	ND(50)	ND(50)	86	ND(50)	ND(800)	ND(50)	ND(50)	ND(50)	ND(50)	12	1.3	NA	
	6/11/2012	NSVD	1.17	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	0.59	ND(0.050)	NA	
	8/29/2012	NSVD	0.95	ND	ND	NSVD	16	6	ND(5)	ND(5)	5	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	3.0	0.23	NA	
	11/17/2012	NSVD	0.63	ND	ND	NSVD	11	ND(5)	ND(5)	7	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	29	0.29	ND(250)	
	4/5/2013	NSVD	0.90	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	30	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	18	0.32	650	
	6/21/2013	NSVD	0.26	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	36	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	35	0.29	ND(250)	
	9/18/2013	NSVD	0.40	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	3.4	0.30	ND(250)	
	12/12/2013	NSVD	0.92	ND	ND	NSVD	ND(5)	ND(5)	ND(5)	ND(5)	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	1.5	0.28	ND(250)	
	3/20/2014	NSVD	0.11	ND	ND	NSVD	ND(5)	8	ND(5)	13	ND(5)	ND(80)	ND(5)	ND(5)	ND(5)	ND(5)	16	0.20	520	
	4/18/2014	NSVD	0.99	ND	ND	NSVD	9	16	12	39	3	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	NA	NA	ND(250)	
	6/30/2014	NSVD	0.90	ND	ND	NSVD	8	3	1	11	3	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	2.3	0.19	ND(250)	
	9/22/2014	NSVD	1.39	ND	ND	NSVD	6	3	ND(1)	2	6	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	1.2	NA	ND(250)	*
	12/8/2014	NSVD	0.89	ND	ND	NSVD	1	ND(1)	ND(1)	2	2	ND(20)	ND(1)	ND(1)	ND(1)	ND(5)	14	NA	ND(250)	

Table 1 (Continued)
Groundwater Monitoring & Analytical Data

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

August 15, 2005 through December 8, 2014

Notes:

* - The results of samples collected from BR-1, MW-12, MW-13, TF-1, and TF-2 on 9/22/2004 are not representative of site conditions. Inadequate decontamination of equipment occurred during that sampling event. The monitoring wells were resampled 10/15/14.

µg/L - micrograms per liter (µg/L)

GW - Groundwater

J - Indicates an estimated value

mg/L - milligram per liter (mg/L)

NA - Not analyzed

ND - Not detected

ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.

NM - Not monitored

NS - Not sampled

NSVD - Not surveyed to vertical datum

Table 2**Potable Well Point of Entry Treatment (POET) Analytical Data**

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

October 5, 2010 through December 18, 2014

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph- thalene (µg/L)	Comments
803 Perryville Road	8/29/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
1812 Perryville Rd	8/29/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
1825 Perryville Rd	10/5/2010	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	24	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
1825 Perryville PI	7/7/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	24	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/16/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	24	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/27/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	18	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/5/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	18	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/10/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	18	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/18/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	15	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/24/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	13	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/30/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	15	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/12/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	12	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/18/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	11	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
1825 Perryville PM	7/7/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/16/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/27/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/5/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/10/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/18/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/24/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/30/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/12/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/18/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	

Table 2 (Continued)**Potable Well Point of Entry Treatment (POET) Analytical Data**

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

October 5, 2010 through December 18, 2014

Well ID	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	Total BTEX (µg/L)	MTBE (µg/L)	TBA (µg/L)	TAME (µg/L)	ETBE (µg/L)	DIPE (µg/L)	Naph- thalene (µg/L)	Comments
1825 Perryville PE	7/7/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/16/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/27/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/5/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/10/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/18/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/24/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/30/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/12/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/18/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
1836 Perryville Rd	4/14/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	6.8	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	7/7/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	6.1	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/16/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	6.3	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/28/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	6.2	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/5/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.4	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/10/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.8	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/14/2012	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.0	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/20/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.6	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/21/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.0	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	8/29/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.3	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/12/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.7	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	3/20/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	3.9	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	6/30/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.9	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/22/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	5.0	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	12/18/2014	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	4.7	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
7 Patterson Ave	4/14/2011	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(1.0)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	
	9/18/2013	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	BRL	ND(0.5)	ND(25)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	

Table 2 (Continued)**Potable Well Point of Entry Treatment (POET) Analytical Data**

Southside Facility #20025

31 Heather Lane

Perryville, Maryland

October 5, 2010 through December 18, 2014

Notes:

µg/L - micrograms per liter (µg/L)

BRL - Below laboratory reporting limits

BTEX - Benzene, toluene, ethylbenzene, and total xylenes

DIPE - Di-Isopropyl Ether

ETBE - Ethyl Tertiary Butyl Ether

MTBE - Methyl Tert Butyl Ether

NA - Not analyzed

ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.

NS - Not sampled

TAME - Tertiary Amyl Methyl Ether

TBA - Tertiary Butyl Alcohol

APPENDIX A

Lancaster Laboratories Analysis Report – Monitoring Wells (December 8, 2014)

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Kleinfelder
550 West C Street, Suite 1200
San Diego CA 92101

December 19, 2014

Project: Southside Oil 20025

Submittal Date: 12/09/2014
Group Number: 1524132
PO Number: 51141-295999
State of Sample Origin: MD

Client Sample Description

MW-2 Grab Water

MW-4 Grab Water

MW-5 Grab Water

MW-6 Grab Water

MW-8 Grab Water

MW-10D Grab Water

MW-12 Grab Water

MW-13 Grab Water

MW-14 Grab Water

TF-1 Grab Water

TF-2 Grab Water

TF-3 Grab Water

BR-1 Grab Water

Lancaster Labs (LL) #

7703941

7703942

7703943

7703944

7703945

7703946

7703947

7703948

7703949

7703950

7703951

7703952

7703953

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>.

ELECTRONIC Kleinfelder
COPY TO
ELECTRONIC Kleinfelder
COPY TO
ELECTRONIC Kleinfelder
COPY TO
ELECTRONIC Kleinfelder
COPY TO

Attn: Mark Steele
Attn: Venelda Williams
Attn: Jennifer Kozak
Attn: Paxton Wertz

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-2 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703941
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 09:00 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	12	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-2 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703941
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 09:00 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 04:54	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 04:54	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 21:08	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-4 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703942
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 13:05 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	13	1	1
10335	Benzene	71-43-2	12	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	730	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	1	1	1
10335	Ethylbenzene	100-41-4	4	1	1
10335	di-Isopropyl ether	108-20-3	5	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	250	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-4 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703942
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 13:05 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	4	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 05:18	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 05:18	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 21:31	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: MW-5 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703943
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 11:50 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	57	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	35	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-5 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703943
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 11:50 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
GC Petroleum Hydrocarbons SW-846 8015B					
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 05:42	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 05:42	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 21:55	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: MW-6 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703944
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 12:15 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	17	1	1
10335	Benzene	71-43-2	3	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	720	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	3	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	290	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-6 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703944
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 12:15 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 06:05	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 06:05	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 22:18	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-8 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703945
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 08:30 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	1	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-8 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703945
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 08:30 by TD

Kleinfelder
550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 06:29	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 06:29	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 22:41	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: MW-10D Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703946
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 12:35 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	18	1	1
10335	Benzene	71-43-2	2	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	890	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	3	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	300	10	10
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-10D Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703946
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 12:35 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
GC Petroleum Hydrocarbons SW-846 8015B					
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 06:53	Amanda K Richards	1
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143471AA	12/13/2014 08:11	Stephanie A Selis	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 06:53	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	W143471AA	12/13/2014 08:11	Stephanie A Selis	10
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 23:04	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-12 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703947
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 10:50 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
	2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.				
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	5	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-12 Grab Water
Perryville, MD
Southside Oil 20025LL Sample # WW 7703947
LL Group # 1524132
Account # 12152**Project Name:** Southside Oil 20025

Collected: 12/08/2014 10:50 by TD

Kleinfelder
550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 07:16	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 07:16	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 23:27	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: MW-13 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703948
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 09:30 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
			2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.		
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	< 1	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-13 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703948
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 09:30 by TD

Kleinfelder
550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
GC Petroleum Hydrocarbons	SW-846 8015B		mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143442AA	12/11/2014 07:40	Amanda K Richards	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143442AA	12/11/2014 07:40	Amanda K Richards	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/16/2014 23:50	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: MW-14 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703949
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 11:20 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRR14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	5	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: MW-14 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703949
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 11:20 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRR14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143471AA	12/13/2014 08:35	Stephanie A Selis	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143471AA	12/13/2014 08:35	Stephanie A Selis	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/17/2014 00:14	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: TF-1 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703950
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 13:25 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRRT1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles	SW-846 8260B		ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	2	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1
10335	Trichlorofluoromethane	75-69-4	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: TF-1 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703950
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 13:25 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRRT1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143471AA	12/13/2014 08:59	Stephanie A Selis	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143471AA	12/13/2014 08:59	Stephanie A Selis	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/17/2014 00:37	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: TF-2 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703951
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 14:00 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRRT2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	2	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.					
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	2	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: TF-2 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703951
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 14:00 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRRT2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
GC Petroleum Hydrocarbons SW-846 8015B					
12858	DRO C10-C28	n.a.	0.39	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143471AA	12/13/2014 09:23	Stephanie A Selis	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143471AA	12/13/2014 09:23	Stephanie A Selis	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490003A	12/17/2014 01:00	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490003A	12/15/2014 14:00	Wanda F Oswald	1

Sample Description: TF-3 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703952
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 14:40 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRRT3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	< 20	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
	2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.				
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	2	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: TF-3 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703952
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 14:40 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRRT3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	2	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	14	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143471AA	12/13/2014 09:46	Stephanie A Selis	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143471AA	12/13/2014 09:46	Stephanie A Selis	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490004A	12/16/2014 13:44	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490004A	12/15/2014 14:00	Wanda F Oswald	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: BR-1 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703953
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 10:20 by TD

Kleinfelder

Submitted: 12/09/2014 16:40

550 West C Street, Suite 1200
San Diego CA 92101

Reported: 12/19/2014 14:05

PRRB1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Acetone	67-64-1	< 20	20	1
10335	Acrolein	107-02-8	< 100	100	1
10335	Acrylonitrile	107-13-1	< 20	20	1
10335	t-Amyl methyl ether	994-05-8	< 1	1	1
10335	Benzene	71-43-2	< 1	1	1
10335	Bromodichloromethane	75-27-4	< 1	1	1
10335	Bromoform	75-25-2	< 4	4	1
10335	Bromomethane	74-83-9	< 1	1	1
10335	2-Butanone	78-93-3	< 10	10	1
10335	t-Butyl alcohol	75-65-0	24	20	1
10335	n-Butylbenzene	104-51-8	< 5	5	1
10335	sec-Butylbenzene	135-98-8	< 5	5	1
10335	Carbon Tetrachloride	56-23-5	< 1	1	1
10335	Chlorobenzene	108-90-7	< 1	1	1
10335	Chloroethane	75-00-3	< 1	1	1
10335	2-Chloroethyl Vinyl Ether	110-75-8	< 10	10	1
	2-Chloroethyl vinyl ether may not be recovered if acid was used to preserve this sample.				
10335	Chloroform	67-66-3	< 1	1	1
10335	Chloromethane	74-87-3	< 1	1	1
10335	Dibromochloromethane	124-48-1	< 1	1	1
10335	1,2-Dichlorobenzene	95-50-1	< 5	5	1
10335	1,3-Dichlorobenzene	541-73-1	< 5	5	1
10335	1,4-Dichlorobenzene	106-46-7	< 5	5	1
10335	1,1-Dichloroethane	75-34-3	< 1	1	1
10335	1,2-Dichloroethane	107-06-2	< 1	1	1
10335	1,1-Dichloroethene	75-35-4	< 1	1	1
10335	cis-1,2-Dichloroethene	156-59-2	< 1	1	1
10335	trans-1,2-Dichloroethene	156-60-5	< 1	1	1
10335	1,2-Dichloropropane	78-87-5	< 1	1	1
10335	cis-1,3-Dichloropropene	10061-01-5	< 1	1	1
10335	trans-1,3-Dichloropropene	10061-02-6	< 1	1	1
10335	Ethanol	64-17-5	< 250	250	1
10335	Ethyl t-butyl ether	637-92-3	< 1	1	1
10335	Ethylbenzene	100-41-4	< 1	1	1
10335	di-Isopropyl ether	108-20-3	< 1	1	1
10335	Isopropylbenzene	98-82-8	< 5	5	1
10335	p-Isopropyltoluene	99-87-6	< 5	5	1
10335	Methyl Tertiary Butyl Ether	1634-04-4	10	1	1
10335	Methylene Chloride	75-09-2	< 4	4	1
10335	Naphthalene	91-20-3	< 5	5	1
10335	n-Propylbenzene	103-65-1	< 5	5	1
10335	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	1
10335	Tetrachloroethene	127-18-4	< 1	1	1
10335	Toluene	108-88-3	< 1	1	1
10335	1,1,1-Trichloroethane	71-55-6	< 1	1	1
10335	1,1,2-Trichloroethane	79-00-5	< 1	1	1
10335	Trichloroethene	79-01-6	< 1	1	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: BR-1 Grab Water
Perryville, MD
Southside Oil 20025

LL Sample # WW 7703953
LL Group # 1524132
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/08/2014 10:20 by TD

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/09/2014 16:40

Reported: 12/19/2014 14:05

PRRB1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
	GC/MS Volatiles	SW-846 8260B	ug/l	ug/l	
10335	Trichlorofluoromethane	75-69-4	< 1	1	1
10335	1,2,4-Trimethylbenzene	95-63-6	< 5	5	1
10335	1,3,5-Trimethylbenzene	108-67-8	< 5	5	1
10335	Vinyl Chloride	75-01-4	< 1	1	1
10335	Xylene (Total)	1330-20-7	< 1	1	1
	GC Petroleum Hydrocarbons	SW-846 8015B	mg/l	mg/l	
12858	DRO C10-C28	n.a.	< 0.10	0.10	1

General Sample Comments

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10335	VOC 8260 Kleinfelder Full+EtOH	SW-846 8260B	1	W143471AA	12/13/2014 10:10	Stephanie A Selis	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	W143471AA	12/13/2014 10:10	Stephanie A Selis	1
12858	TPH-DRO water C10-C28	SW-846 8015B	1	143490004A	12/16/2014 11:01	Christine E Dolman	1
12059	Microextraction - DRO (waters)	SW-846 3511	1	143490004A	12/15/2014 14:00	Wanda F Oswald	1

Quality Control Summary

Client Name: Kleinfelder
 Reported: 12/19/14 at 02:05 PM

Group Number: 1524132

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD RPD</u>	<u>Max</u>
Batch number: W143442AA			Sample number(s): 7703941-7703948					
Acetone	< 20	20.	ug/l	73		55-129		
Acrolein	< 100	100.	ug/l	87		59-120		
Acrylonitrile	< 20	20.	ug/l	78		62-120		
t-Amyl methyl ether	< 1	1.	ug/l	96		75-120		
Benzene	< 1	1.	ug/l	103		78-120		
Bromodichloromethane	< 1	1.	ug/l	96		73-120		
Bromoform	< 4	4.	ug/l	84		61-120		
Bromomethane	< 1	1.	ug/l	96		53-130		
2-Butanone	< 10	10.	ug/l	79		54-133		
t-Butyl alcohol	< 20	20.	ug/l	92		75-120		
n-Butylbenzene	< 5	5.	ug/l	103		68-120		
sec-Butylbenzene	< 5	5.	ug/l	110		75-120		
Carbon Tetrachloride	< 1	1.	ug/l	101		74-130		
Chlorobenzene	< 1	1.	ug/l	104		80-120		
Chloroethane	< 1	1.	ug/l	95		56-120		
2-Chloroethyl Vinyl Ether	< 10	10.	ug/l	91		62-128		
Chloroform	< 1	1.	ug/l	103		80-122		
Chloromethane	< 1	1.	ug/l	91		63-120		
Dibromochloromethane	< 1	1.	ug/l	98		72-120		
1,2-Dichlorobenzene	< 5	5.	ug/l	103		80-120		
1,3-Dichlorobenzene	< 5	5.	ug/l	104		80-120		
1,4-Dichlorobenzene	< 5	5.	ug/l	106		80-120		
1,1-Dichloroethane	< 1	1.	ug/l	102		80-120		
1,2-Dichloroethane	< 1	1.	ug/l	101		65-135		
cis-1,2-Dichloroethene	< 1	1.	ug/l	104		76-124		
trans-1,2-Dichloroethene	< 1	1.	ug/l	104		80-120		
1,2-Dichloropropane	< 1	1.	ug/l	101		80-120		
cis-1,3-Dichloropropene	< 1	1.	ug/l	98		80-120		
trans-1,3-Dichloropropene	< 1	1.	ug/l	96		76-120		
Ethanol	< 250	250.	ug/l	130		58-139		
Ethyl t-butyl ether	< 1	1.	ug/l	98		69-120		
Ethylbenzene	< 1	1.	ug/l	106		79-120		
di-Isopropyl ether	< 1	1.	ug/l	104		61-132		
Isopropylbenzene	< 5	5.	ug/l	108		80-120		
p-Isopropyltoluene	< 5	5.	ug/l	105		76-120		
Methyl Tertiary Butyl Ether	< 1	1.	ug/l	100		75-120		
Methylene Chloride	< 4	4.	ug/l	107		80-120		
Naphthalene	< 5	5.	ug/l	88		47-126		
n-Propylbenzene	< 5	5.	ug/l	113		80-120		
1,1,2,2-Tetrachloroethane	< 1	1.	ug/l	99		70-120		
Tetrachloroethene	< 1	1.	ug/l	107		80-120		
Toluene	< 1	1.	ug/l	106		80-120		

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/19/14 at 02:05 PM

Group Number: 1524132

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,1,1-Trichloroethane	< 1	1.	ug/l	102		66-126		
1,1,2-Trichloroethane	< 1	1.	ug/l	100		80-120		
Trichloroethene	< 1	1.	ug/l	104		80-120		
Trichlorofluoromethane	< 1	1.	ug/l	101		58-135		
1,2,4-Trimethylbenzene	< 5	5.	ug/l	109		80-120		
1,3,5-Trimethylbenzene	< 5	5.	ug/l	110		80-120		
Vinyl Chloride	< 1	1.	ug/l	96		63-120		
Xylene (Total)	< 1	1.	ug/l	105		80-120		
Batch number: W143471AA			Sample number(s): 7703946, 7703949-7703953					
Acetone	< 20	20.	ug/l	99		55-129		
Acrolein	< 100	100.	ug/l	76		59-120		
Acrylonitrile	< 20	20.	ug/l	81		62-120		
t-Amyl methyl ether	< 1	1.	ug/l	105		75-120		
Benzene	< 1	1.	ug/l	106		78-120		
Bromodichloromethane	< 1	1.	ug/l	103		73-120		
Bromoform	< 4	4.	ug/l	86		61-120		
Bromomethane	< 1	1.	ug/l	93		53-130		
2-Butanone	< 10	10.	ug/l	83		54-133		
t-Butyl alcohol	< 20	20.	ug/l	117		75-120		
n-Butylbenzene	< 5	5.	ug/l	108		68-120		
sec-Butylbenzene	< 5	5.	ug/l	112		75-120		
Carbon Tetrachloride	< 1	1.	ug/l	107		74-130		
Chlorobenzene	< 1	1.	ug/l	109		80-120		
Chloroethane	< 1	1.	ug/l	95		56-120		
2-Chloroethyl Vinyl Ether	< 10	10.	ug/l	91		62-128		
Chloroform	< 1	1.	ug/l	108		80-122		
Chloromethane	< 1	1.	ug/l	88		63-120		
Dibromochloromethane	< 1	1.	ug/l	104		72-120		
1,2-Dichlorobenzene	< 5	5.	ug/l	111		80-120		
1,3-Dichlorobenzene	< 5	5.	ug/l	111		80-120		
1,4-Dichlorobenzene	< 5	5.	ug/l	111		80-120		
1,1-Dichloroethane	< 1	1.	ug/l	108		80-120		
1,2-Dichloroethane	< 1	1.	ug/l	108		65-135		
1,1-Dichloroethene	< 1	1.	ug/l	95		76-124		
cis-1,2-Dichloroethene	< 1	1.	ug/l	111		80-120		
trans-1,2-Dichloroethene	< 1	1.	ug/l	111		80-120		
1,2-Dichloropropane	< 1	1.	ug/l	108		80-120		
cis-1,3-Dichloropropene	< 1	1.	ug/l	104		80-120		
trans-1,3-Dichloropropene	< 1	1.	ug/l	103		76-120		
Ethanol	< 250	250.	ug/l	149*		58-139		
Ethyl t-butyl ether	< 1	1.	ug/l	106		69-120		
Ethylbenzene	< 1	1.	ug/l	110		79-120		
di-Isopropyl ether	< 1	1.	ug/l	111		61-132		
Isopropylbenzene	< 5	5.	ug/l	115		80-120		
p-Isopropyltoluene	< 5	5.	ug/l	110		76-120		
Methyl Tertiary Butyl Ether	< 1	1.	ug/l	108		75-120		
Methylene Chloride	< 4	4.	ug/l	101		80-120		
Naphthalene	< 5	5.	ug/l	97		47-126		
n-Propylbenzene	< 5	5.	ug/l	113		80-120		
1,1,2,2-Tetrachloroethane	< 1	1.	ug/l	97		70-120		
Tetrachloroethene	< 1	1.	ug/l	105		80-120		
Toluene	< 1	1.	ug/l	109		80-120		
1,1,1-Trichloroethane	< 1	1.	ug/l	105		66-126		
1,1,2-Trichloroethane	< 1	1.	ug/l	105		80-120		
Trichloroethene	< 1	1.	ug/l	105		80-120		

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder

Group Number: 1524132

Reported: 12/19/14 at 02:05 PM

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Trichlorofluoromethane	< 1	1.	ug/l	95		58-135		
1,2,4-Trimethylbenzene	< 5	5.	ug/l	114		80-120		
1,3,5-Trimethylbenzene	< 5	5.	ug/l	112		80-120		
Vinyl Chloride	< 1	1.	ug/l	94		63-120		
Xylene (Total)	< 1	1.	ug/l	110		80-120		
Batch number: 143490003A DRO C10-C28		Sample number(s): 7703941-7703951 < 0.10	0.10 mg/l	85		69-115		
Batch number: 143490004A DRO C10-C28		Sample number(s): 7703952-7703953 < 0.10	0.10 mg/l	90	85	69-115	5	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>BKG MAX</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: W143442AA		Sample number(s): 7703941-7703948 UNSPK: P700108						
Acetone	101	110	35-144	8	30			
Acrolein	69	66	39-136	5	30			
Acrylonitrile	90	89	51-125	1	30			
t-Amyl methyl ether	103	106	65-117	3	30			
Benzene	112	115	72-134	3	30			
Bromodichloromethane	101	105	73-125	4	30			
Bromoform	89	89	48-118	1	30			
Bromomethane	92	88	47-129	3	30			
2-Butanone	92	90	44-135	2	30			
t-Butyl alcohol	100	115	67-119	9	30			
n-Butylbenzene	111	115	74-134	4	30			
sec-Butylbenzene	118	122	74-137	3	30			
Carbon Tetrachloride	107	112	75-148	5	30			
Chlorobenzene	107	111	87-124	3	30			
Chloroethane	100	100	55-130	0	30			
2-Chloroethyl Vinyl Ether	0*	0*	10-151	0	30			
Chloroform	109	113	81-134	4	30			
Chloromethane	94	93	61-125	2	30			
Dibromochloromethane	99	104	74-116	5	30			
1,2-Dichlorobenzene	107	111	84-119	4	30			
1,3-Dichlorobenzene	108	111	86-121	3	30			
1,4-Dichlorobenzene	108	110	85-121	2	30			
1,1-Dichloroethane	110	112	84-129	1	30			
1,2-Dichloroethane	106	108	63-142	2	30			
1,1-Dichloroethene	109	113	79-137	4	30			
cis-1,2-Dichloroethene	110	116	80-141	6	30			
trans-1,2-Dichloroethene	112	116	86-131	3	30			
1,2-Dichloropropane	107	110	83-124	3	30			
cis-1,3-Dichloropropene	102	105	70-116	3	30			
trans-1,3-Dichloropropene	97	100	74-119	3	30			
Ethanol	115	113	53-146	2	30			
Ethyl t-butyl ether	103	107	74-122	4	30			
Ethylbenzene	111	115	71-134	3	30			

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/19/14 at 02:05 PM

Group Number: 1524132

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	MS <u>%REC</u>	MSD <u>%REC</u>	MS/MSD <u>Limits</u>	RPD <u>MAX</u>	BKG <u>Conc</u>	DUP <u>Conc</u>	DUP <u>RPD</u>	Dup RPD <u>Max</u>
di-Isopropyl ether	110	113	70-129	3	30			
Isopropylbenzene	118	120	75-128	2	30			
p-Isopropyltoluene	114	117	76-123	3	30			
Methyl Tertiary Butyl Ether	105	110	72-126	5	30			
Methylene Chloride	103	111	78-133	7	30			
Naphthalene	103	106	52-125	3	30			
n-Propylbenzene	116	120	74-134	3	30			
1,1,2,2-Tetrachloroethane	100	99	72-128	1	30			
Tetrachloroethene	112	115	80-128	3	30			
Toluene	111	113	80-125	2	30			
1,1,1-Trichloroethane	109	118	69-140	8	30			
1,1,2-Trichloroethane	102	106	71-141	3	30			
Trichloroethene	111	112	88-133	1	30			
Trichlorofluoromethane	112	112	63-163	0	30			
1,2,4-Trimethylbenzene	117	120	72-130	2	30			
1,3,5-Trimethylbenzene	114	116	65-132	2	30			
Vinyl Chloride	106	103	66-133	2	30			
Xylene (Total)	112	114	79-125	2	30			

Batch number: W143471AA

Sample number(s): 7703946, 7703949-7703953 UNSPK: P705168

Acetone	88	86	35-144	3	30
Acrolein	73	74	39-136	2	30
Acrylonitrile	71	71	51-125	1	30
t-Amyl methyl ether	102	104	65-117	2	30
Benzene	110	112	72-134	2	30
Bromodichloromethane	100	104	73-125	3	30
Bromoform	78	79	48-118	1	30
Bromomethane	99	102	47-129	3	30
2-Butanone	72	70	44-135	3	30
t-Butyl alcohol	108	109	67-119	1	30
n-Butylbenzene	115	116	74-134	1	30
sec-Butylbenzene	119	118	74-137	0	30
Carbon Tetrachloride	118	118	75-148	0	30
Chlorobenzene	110	111	87-124	1	30
Chloroethane	102	106	55-130	4	30
2-Chloroethyl Vinyl Ether	0*	0*	10-151	0	30
Chloroform	110	113	81-134	2	30
Chloromethane	95	95	61-125	0	30
Dibromochloromethane	99	98	74-116	1	30
1,2-Dichlorobenzene	109	112	84-119	2	30
1,3-Dichlorobenzene	111	112	86-121	1	30
1,4-Dichlorobenzene	110	112	85-121	2	30
1,1-Dichloroethane	110	107	84-129	2	30
1,2-Dichloroethane	108	108	63-142	0	30
1,1-Dichloroethene	100	102	79-137	1	30
cis-1,2-Dichloroethene	111	110	80-141	1	30
trans-1,2-Dichloroethene	116	114	86-131	2	30
1,2-Dichloropropane	114	113	83-124	1	30
cis-1,3-Dichloropropene	101	103	70-116	2	30
trans-1,3-Dichloropropene	99	99	74-119	0	30
Ethanol	145	144	53-146	0	30
Ethyl t-butyl ether	109	108	74-122	1	30

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/19/14 at 02:05 PM

Group Number: 1524132

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>BKG MAX</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Ethylbenzene	113	115	71-134	2	30			
di-Isopropyl ether	110	112	70-129	2	30			
Isopropylbenzene	118	119	75-128	1	30			
p-Isopropyltoluene	112	113	76-123	1	30			
Methyl Tertiary Butyl Ether	104	107	72-126	3	30			
Methylene Chloride	102	102	78-133	0	30			
Naphthalene	91	93	52-125	2	30			
n-Propylbenzene	117	118	74-134	0	30			
1,1,2,2-Tetrachloroethane	90	89	72-128	1	30			
Tetrachloroethene	113	115	80-128	2	30			
Toluene	111	113	80-125	1	30			
1,1,1-Trichloroethane	109	114	69-140	4	30			
1,1,2-Trichloroethane	99	99	71-141	0	30			
Trichloroethene	110	112	88-133	2	30			
Trichlorofluoromethane	117	119	63-163	1	30			
1,2,4-Trimethylbenzene	114	115	72-130	1	30			
1,3,5-Trimethylbenzene	115	115	65-132	0	30			
Vinyl Chloride	104	107	66-133	2	30			
Xylene (Total)	113	114	79-125	0	30			

Batch number: 143490003A
DRO C10-C28

Sample number(s): 7703941-7703951 UNSPK: P703232
93 97 47-129 4 20

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOC 8260 Kleinfelder Full+EtOH
Batch number: W143442AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7703941	100	99	98	99
7703942	100	100	98	99
7703943	101	90	98	100
7703944	100	89	98	101
7703945	100	101	98	98
7703946	100	101	98	99
7703947	101	101	98	98
7703948	100	101	99	98
Blank	98	98	99	98
LCS	99	96	101	98
MS	102	102	100	102
MSD	101	100	99	100
Limits:	80-116	77-113	80-113	78-113

Analysis Name: VOC 8260 Kleinfelder Full+EtOH
Batch number: W143471AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7703949	99	98	99	98

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/19/14 at 02:05 PM

Group Number: 1524132

Surrogate Quality Control

7703950	100	95	99	100
7703951	99	99	99	99
7703952	101	94	99	100
7703953	99	97	99	100
Blank	98	99	100	100
LCS	102	101	101	100
MS	102	97	101	100
MSD	101	97	101	99
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-DRO water C10-C28
Batch number: 143490003A
Orthoterphenyl

7703941	110
7703942	89
7703943	109
7703944	105
7703945	90
7703946	81
7703947	111
7703948	115
7703949	112
7703950	117
7703951	117
Blank	113
LCS	109
MS	109
MSD	108
Limits:	42-160

Analysis Name: TPH-DRO water C10-C28
Batch number: 143490004A
Orthoterphenyl

7703952	91
7703953	106
Blank	110
LCS	106
LCSD	103
Limits:	42-160

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.



Analysis Request/Environmental Services Chain of Custody

For Lancaster Laboratories use only Acct. #: 12152

Group #: _____ Sample #:

1524132 7103941-53

Client: Southside Oil	Acct. #:				Matrix		Analyses Requested			For Lab Use Only				
Project Name/#: 20025 - Perryville	PWSID #:				Potable	NPDES				FSC: _____				
Project Manager: Mark C. Steele	P.O. #:	51141-295999								SCR#: _____				
Sampler: <u>Travis Dugstad</u>	Quote #:													
Name of State where samples were collected: Maryland				Date Collected	Time Collected	Grab	Composite	Soil	Water	Other	Total # of Containers	Preservation Codes	Remarks	
				<u>2014</u>								H H H	Temperature of samples upon receipt: (if requested)	
MW-2	12/8	0900	X			X					5	Full List VOC+oxy 8260		
MW-4	12/8	1305	X			X					5	TPH-DRO 8015		
MW-5	12/8	1150	X			X					5	Ethanol 8260		
MW-6	12/8	1215	X			X					5			
MW-8	12/8	0830	X			X					5			
MW-10D	12/8	1235	X			X					5			
MW-12	12/8	1050	X			X					5			
MW-13	12/8	0930	X			X					5			
MW-14	12/8	1120	X			X					5			
TF-1	12/8	1325	X			X					5			
TF-2	12/8	1400	X			X					5			
TF-3	12/8	1440	X			X					5			
Turnaround Time Requested (TAT) (please circle): Normal Rush							Relinquished by:			Date	Time	Received by:	Date	Time
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)							<u>12/8/14</u>			<u>1630</u>		<u>K</u>	<u>12/9/14</u>	<u>10:17</u>
Date results are needed:							Relinquished by:			Date	Time	Received by:	Date	Time
Rush results requested by (please circle): Phone Fax E-mail							<u>12/9/14</u>			<u>1640</u>				
Phone #: _____ Fax #: _____							Relinquished by:			Date	Time	Received by:	Date	Time
E-mail address: _____							<u>12/9/14</u>			<u>1640</u>				
Data Package Options (please circle if required)				SDG Complete?			Relinquished by:			Date	Time	Received by:	Date	Time
Type I (validation/NJ reg)	TX-TRRP-13		Yes No			<u>12/9/14</u>			<u>1640</u>					
Type II (Tier II)	MA MCP	CT RCP				Relinquished by:			Date	Time	Received by:	Date	Time	
Type III (Reduced NJ)			State-specific QC (MS/MSD/Dup)? Yes No			<u>12/9/14</u>			<u>1640</u>					
Type IV (CLP SOW)			(If yes, indicated QC sample and submit triplecate volume)			Relinquished by:			Date	Time	Received by:	Date	Time	
Type VI (Raw Data Only)			Internal COC required? Yes No			<u>12/9/14</u>			<u>1640</u>					

Lancaster Laboratories, Inc. 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 717-656-2300

Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client



Analysis Request/Environmental Services Chain of Custody

For Lancaster Laboratories use only Acct. #: 12152

Group #: _____ Sample #: _____

1524132 7703941-53

Client: Southside Oil	Acct. #:				Matrix			Analyses Requested			For Lab Use Only			
Project Name/#: 20025 - Perryville	PWSID #:				Portable	NPDES		H	H	H	FSC:			
Project Manager: Mark C. Steele	P.O. #:	51141-295999									SCR#:			
Sampler: <u>Travis Dogsted</u>	Quote #:										Preservation Codes			
Name of State where samples were collected: Maryland				2014	Grab	Composite	Soil				H+HCl	T=Thiosulfate		
							Water				N=HNO3	B=NaOH		
							Other				S=H ₂ SO4	O=Other		
Sample Identification				Date Collected	Time Collected	Grab	Composite	Soil	Water	Other	Total # of Containers	Remarks		
BR-1	12/8	1020	X			X				5	X	X	X	Temperature of samples upon receipt (if requested)
Turnaround Time Requested (TAT) (please circle): Normal Rush														
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)														
Date results are needed: _____														
Rush results requested by (please circle): Phone Fax E-mail														
Phone #: _____ Fax #: _____														
E-mail address: _____														
Data Package Options (please circle if required)		SDG Complete?			Relinquished by:			Date	Time	Received by:	Date	Time		
Type I (validation/NJ reg)	TX-TRRP-13	Yes No			<u>[Signature]</u>			12/8/14	1630	<u>Kim</u>	12/8/14	10:17		
Type II (Tier II)	MA MCP	CT RCP				<u>[Signature]</u>			12/8/14	16:40	<u>Kim</u>	12/8/14	10:17	
Type III (Reduced NJ)	State-specific QC (MS/MSD/Dup)? Yes No			Relinquished by:			Date	Time	Received by:	Date	Time			
Type IV (CLP SOW)	(If yes, indicated QC sample and submit triplecate volume)			<u>[Signature]</u>			12/8/14	16:40	<u>Kim</u>	12/8/14	10:17			
Type VI (Raw Data Only)	Internal COC required? Yes No			Relinquished by:			Date	Time	Received by:	Date	Time			
				<u>[Signature]</u>			12/9/14	1640	<u>Patricia</u>	12/9/14	16:40			

Lancaster Laboratories, Inc. 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 717-656-2600

Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

Inorganic Qualifiers

- B** Value is <CRDL, but \geq IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- * Duplicate analysis not within control limits
- + Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

APPENDIX B

**Lancaster Laboratories Analytical Reports –
Potable Wells (December 18, 2014)**

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Kleinfelder
550 West C Street, Suite 1200
San Diego CA 92101

December 29, 2014

Project: Southside Oil 20025

Submittal Date: 12/19/2014
Group Number: 1527167
PO Number: 51141-295999
State of Sample Origin: MD

Client Sample Description

1825 Perryville Road PI Grab Water
1825 Perryville Road PM Grab Water
1825 Perryville Road PE Grab Water

Lancaster Labs (LL) #

7720748
7720749
7720750

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>.

ELECTRONIC	Kleinfelder	Attn: Mark Steele
COPY TO		
ELECTRONIC	Kleinfelder	Attn: Venelda Williams
COPY TO		
ELECTRONIC	Kleinfelder	Attn: Jennifer Kozak
COPY TO		
ELECTRONIC	Kleinfelder	Attn: Paxton Wertz
COPY TO		



Lancaster Laboratories
Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1825 Perryville Road PI Grab Water
Southside Oil 20025

LL Sample # PW 7720748
LL Group # 1527167
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 08:20 by JM

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/19/2014 15:50

Reported: 12/29/2014 08:22

PRYPI

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	EPA 524.2	ug/l	ug/l	
03648	Acetone	67-64-1	< 5.0	5.0	1
03648	Acrolein	107-02-8	< 50	50	1
03648	Acrylonitrile	107-13-1	< 10	10	1
03648	t-Amyl Methyl Ether	994-05-8	< 0.5	0.5	1
03648	Benzene	71-43-2	< 0.5	0.5	1
03648	Bromodichloromethane	75-27-4	< 0.5	0.5	1
03648	Bromoform	75-25-2	< 0.5	0.5	1
03648	Bromomethane	74-83-9	< 0.5	0.5	1
03648	2-Butanone	78-93-3	< 5.0	5.0	1
03648	t-Butyl Alcohol	75-65-0	< 25	25	1
03648	n-Butylbenzene	104-51-8	< 0.5	0.5	1
03648	sec-Butylbenzene	135-98-8	< 0.5	0.5	1
03648	tert-Butylbenzene	98-06-6	< 0.5	0.5	1
03648	Carbon Tetrachloride	56-23-5	< 0.5	0.5	1
03648	Chlorobenzene	108-90-7	< 0.5	0.5	1
03648	Chloroethane	75-00-3	< 0.5	0.5	1
03648	Chloroform	67-66-3	< 0.5	0.5	1
03648	Chloromethane	74-87-3	< 0.5	0.5	1
03648	Dibromochloromethane	124-48-1	< 0.5	0.5	1
03648	1,2-Dichlorobenzene	95-50-1	< 0.5	0.5	1
03648	1,3-Dichlorobenzene	541-73-1	< 0.5	0.5	1
03648	1,4-Dichlorobenzene	106-46-7	< 0.5	0.5	1
03648	1,1-Dichloroethane	75-34-3	< 0.5	0.5	1
03648	1,2-Dichloroethane	107-06-2	< 0.5	0.5	1
03648	1,1-Dichloroethene	75-35-4	< 0.5	0.5	1
03648	cis-1,2-Dichloroethene	156-59-2	< 0.5	0.5	1
03648	trans-1,2-Dichloroethene	156-60-5	< 0.5	0.5	1
03648	1,2-Dichloropropane	78-87-5	< 0.5	0.5	1
03648	cis-1,3-Dichloropropene	10061-01-5	< 0.5	0.5	1
03648	trans-1,3-Dichloropropene	10061-02-6	< 0.5	0.5	1
03648	Ethyl t-Butyl Ether	637-92-3	< 0.5	0.5	1
03648	Ethylbenzene	100-41-4	< 0.5	0.5	1
03648	di-Isopropyl Ether	108-20-3	< 0.5	0.5	1
03648	Isopropylbenzene	98-82-8	< 0.5	0.5	1
03648	p-Isopropyltoluene	99-87-6	< 0.5	0.5	1
03648	Methyl Tertiary Butyl Ether	1634-04-4	11	1.0	1
03648	Methylene Chloride	75-09-2	< 0.5	0.5	1
03648	Naphthalene	91-20-3	< 0.5	0.5	1
03648	n-Propylbenzene	103-65-1	< 0.5	0.5	1
03648	1,1,2,2-Tetrachloroethane	79-34-5	< 0.5	0.5	1
03648	Tetrachloroethene	127-18-4	< 0.5	0.5	1
03648	Toluene	108-88-3	< 0.5	0.5	1
03648	1,1,1-Trichloroethane	71-55-6	< 0.5	0.5	1
03648	1,1,2-Trichloroethane	79-00-5	< 0.5	0.5	1
03648	Trichloroethene	79-01-6	< 0.5	0.5	1
03648	Trichlorofluoromethane	75-69-4	< 0.5	0.5	1
03648	1,2,4-Trimethylbenzene	95-63-6	< 0.5	0.5	1
03648	1,3,5-Trimethylbenzene	108-67-8	< 0.5	0.5	1
03648	Vinyl Chloride	75-01-4	< 0.5	0.5	1
03648	Xylene (Total)	1330-20-7	< 0.5	0.5	1



Lancaster Laboratories
Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1825 Perryville Road PI Grab Water
Southside Oil 20025

LL Sample # PW 7720748
LL Group # 1527167
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 08:20 by JM

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/19/2014 15:50

Reported: 12/29/2014 08:22

PRYPI

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
03648	EPA Method 524.2	EPA 524.2	1	S143591AA	12/25/2014 23:41	Kevin A Sposito	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1825 Perryville Road PM Grab Water
Southside Oil 20025

LL Sample # PW 7720749
LL Group # 1527167
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 08:18 by JM

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/19/2014 15:50

Reported: 12/29/2014 08:22

PRYPM

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	EPA 524.2	ug/l	ug/l	
03648	Acetone	67-64-1	< 5.0	5.0	1
03648	Acrolein	107-02-8	< 50	50	1
03648	Acrylonitrile	107-13-1	< 10	10	1
03648	t-Amyl Methyl Ether	994-05-8	< 0.5	0.5	1
03648	Benzene	71-43-2	< 0.5	0.5	1
03648	Bromodichloromethane	75-27-4	< 0.5	0.5	1
03648	Bromoform	75-25-2	< 0.5	0.5	1
03648	Bromomethane	74-83-9	< 0.5	0.5	1
03648	2-Butanone	78-93-3	< 5.0	5.0	1
03648	t-Butyl Alcohol	75-65-0	< 25	25	1
03648	n-Butylbenzene	104-51-8	< 0.5	0.5	1
03648	sec-Butylbenzene	135-98-8	< 0.5	0.5	1
03648	tert-Butylbenzene	98-06-6	< 0.5	0.5	1
03648	Carbon Tetrachloride	56-23-5	< 0.5	0.5	1
03648	Chlorobenzene	108-90-7	< 0.5	0.5	1
03648	Chloroethane	75-00-3	< 0.5	0.5	1
03648	Chloroform	67-66-3	< 0.5	0.5	1
03648	Chloromethane	74-87-3	< 0.5	0.5	1
03648	Dibromochloromethane	124-48-1	< 0.5	0.5	1
03648	1,2-Dichlorobenzene	95-50-1	< 0.5	0.5	1
03648	1,3-Dichlorobenzene	541-73-1	< 0.5	0.5	1
03648	1,4-Dichlorobenzene	106-46-7	< 0.5	0.5	1
03648	1,1-Dichloroethane	75-34-3	< 0.5	0.5	1
03648	1,2-Dichloroethane	107-06-2	< 0.5	0.5	1
03648	1,1-Dichloroethene	75-35-4	< 0.5	0.5	1
03648	cis-1,2-Dichloroethene	156-59-2	< 0.5	0.5	1
03648	trans-1,2-Dichloroethene	156-60-5	< 0.5	0.5	1
03648	1,2-Dichloropropane	78-87-5	< 0.5	0.5	1
03648	cis-1,3-Dichloropropene	10061-01-5	< 0.5	0.5	1
03648	trans-1,3-Dichloropropene	10061-02-6	< 0.5	0.5	1
03648	Ethyl t-Butyl Ether	637-92-3	< 0.5	0.5	1
03648	Ethylbenzene	100-41-4	< 0.5	0.5	1
03648	di-Isopropyl Ether	108-20-3	< 0.5	0.5	1
03648	Isopropylbenzene	98-82-8	< 0.5	0.5	1
03648	p-Isopropyltoluene	99-87-6	< 0.5	0.5	1
03648	Methyl Tertiary Butyl Ether	1634-04-4	< 1.0	1.0	1
03648	Methylene Chloride	75-09-2	< 0.5	0.5	1
03648	Naphthalene	91-20-3	< 0.5	0.5	1
03648	n-Propylbenzene	103-65-1	< 0.5	0.5	1
03648	1,1,2,2-Tetrachloroethane	79-34-5	< 0.5	0.5	1
03648	Tetrachloroethene	127-18-4	< 0.5	0.5	1
03648	Toluene	108-88-3	< 0.5	0.5	1
03648	1,1,1-Trichloroethane	71-55-6	< 0.5	0.5	1
03648	1,1,2-Trichloroethane	79-00-5	< 0.5	0.5	1
03648	Trichloroethene	79-01-6	< 0.5	0.5	1
03648	Trichlorofluoromethane	75-69-4	< 0.5	0.5	1
03648	1,2,4-Trimethylbenzene	95-63-6	< 0.5	0.5	1
03648	1,3,5-Trimethylbenzene	108-67-8	< 0.5	0.5	1
03648	Vinyl Chloride	75-01-4	< 0.5	0.5	1
03648	Xylene (Total)	1330-20-7	< 0.5	0.5	1



Lancaster Laboratories
Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1825 Perryville Road PM Grab Water
Southside Oil 20025

LL Sample # PW 7720749
LL Group # 1527167
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 08:18 by JM

Kleinfelder

Submitted: 12/19/2014 15:50
Reported: 12/29/2014 08:22

550 West C Street, Suite 1200
San Diego CA 92101

PRYPM

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
03648	EPA Method 524.2	EPA 524.2	1	S143591AA	12/26/2014 00:08	Kevin A Sposito	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1825 Perryville Road PE Grab Water
Southside Oil 20025**LL Sample #** PW 7720750
LL Group # 1527167
Account # 12152**Project Name:** Southside Oil 20025

Collected: 12/18/2014 08:16 by JM

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/19/2014 15:50

Reported: 12/29/2014 08:22

PRYPE

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	EPA 524.2	ug/l	ug/l	
03648	Acetone	67-64-1	< 5.0	5.0	1
03648	Acrolein	107-02-8	< 50	50	1
03648	Acrylonitrile	107-13-1	< 10	10	1
03648	t-Amyl Methyl Ether	994-05-8	< 0.5	0.5	1
03648	Benzene	71-43-2	< 0.5	0.5	1
03648	Bromodichloromethane	75-27-4	< 0.5	0.5	1
03648	Bromoform	75-25-2	< 0.5	0.5	1
03648	Bromomethane	74-83-9	< 0.5	0.5	1
03648	2-Butanone	78-93-3	< 5.0	5.0	1
03648	t-Butyl Alcohol	75-65-0	< 25	25	1
03648	n-Butylbenzene	104-51-8	< 0.5	0.5	1
03648	sec-Butylbenzene	135-98-8	< 0.5	0.5	1
03648	tert-Butylbenzene	98-06-6	< 0.5	0.5	1
03648	Carbon Tetrachloride	56-23-5	< 0.5	0.5	1
03648	Chlorobenzene	108-90-7	< 0.5	0.5	1
03648	Chloroethane	75-00-3	< 0.5	0.5	1
03648	Chloroform	67-66-3	< 0.5	0.5	1
03648	Chloromethane	74-87-3	< 0.5	0.5	1
03648	Dibromochloromethane	124-48-1	< 0.5	0.5	1
03648	1,2-Dichlorobenzene	95-50-1	< 0.5	0.5	1
03648	1,3-Dichlorobenzene	541-73-1	< 0.5	0.5	1
03648	1,4-Dichlorobenzene	106-46-7	< 0.5	0.5	1
03648	1,1-Dichloroethane	75-34-3	< 0.5	0.5	1
03648	1,2-Dichloroethane	107-06-2	< 0.5	0.5	1
03648	1,1-Dichloroethene	75-35-4	< 0.5	0.5	1
03648	cis-1,2-Dichloroethene	156-59-2	< 0.5	0.5	1
03648	trans-1,2-Dichloroethene	156-60-5	< 0.5	0.5	1
03648	1,2-Dichloropropane	78-87-5	< 0.5	0.5	1
03648	cis-1,3-Dichloropropene	10061-01-5	< 0.5	0.5	1
03648	trans-1,3-Dichloropropene	10061-02-6	< 0.5	0.5	1
03648	Ethyl t-Butyl Ether	637-92-3	< 0.5	0.5	1
03648	Ethylbenzene	100-41-4	< 0.5	0.5	1
03648	di-Isopropyl Ether	108-20-3	< 0.5	0.5	1
03648	Isopropylbenzene	98-82-8	< 0.5	0.5	1
03648	p-Isopropyltoluene	99-87-6	< 0.5	0.5	1
03648	Methyl Tertiary Butyl Ether	1634-04-4	< 1.0	1.0	1
03648	Methylene Chloride	75-09-2	< 0.5	0.5	1
03648	Naphthalene	91-20-3	< 0.5	0.5	1
03648	n-Propylbenzene	103-65-1	< 0.5	0.5	1
03648	1,1,2,2-Tetrachloroethane	79-34-5	< 0.5	0.5	1
03648	Tetrachloroethene	127-18-4	< 0.5	0.5	1
03648	Toluene	108-88-3	< 0.5	0.5	1
03648	1,1,1-Trichloroethane	71-55-6	< 0.5	0.5	1
03648	1,1,2-Trichloroethane	79-00-5	< 0.5	0.5	1
03648	Trichloroethene	79-01-6	< 0.5	0.5	1
03648	Trichlorofluoromethane	75-69-4	< 0.5	0.5	1
03648	1,2,4-Trimethylbenzene	95-63-6	< 0.5	0.5	1
03648	1,3,5-Trimethylbenzene	108-67-8	< 0.5	0.5	1
03648	Vinyl Chloride	75-01-4	< 0.5	0.5	1
03648	Xylene (Total)	1330-20-7	< 0.5	0.5	1



Lancaster Laboratories
Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1825 Perryville Road PE Grab Water
Southside Oil 20025

LL Sample # PW 7720750
LL Group # 1527167
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 08:16 by JM

Kleinfelder

Submitted: 12/19/2014 15:50
Reported: 12/29/2014 08:22

550 West C Street, Suite 1200
San Diego CA 92101

PRYPE

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
03648	EPA Method 524.2	EPA 524.2	1	S143591AA	12/26/2014 00:36	Kevin A Sposito	1

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/29/14 at 08:22 AM

Group Number: 1527167

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: S143591AA			Sample number(s): 7720748-7720750					
Acetone	< 5.0	5.0	ug/l	119		70-130		
Acrolein	< 50	50.	ug/l	109		70-130		
Acrylonitrile	< 10	10.	ug/l	105		70-130		
t-Amyl Methyl Ether	< 0.5	0.5	ug/l	88		70-130		
Benzene	< 0.5	0.5	ug/l	97		70-130		
Bromodichloromethane	< 0.5	0.5	ug/l	97		70-130		
Bromoform	< 0.5	0.5	ug/l	103		70-130		
Bromomethane	< 0.5	0.5	ug/l	102		70-130		
2-Butanone	< 5.0	5.0	ug/l	95		70-130		
t-Butyl Alcohol	< 25	25.	ug/l	111		70-130		
n-Butylbenzene	< 0.5	0.5	ug/l	100		70-130		
sec-Butylbenzene	< 0.5	0.5	ug/l	90		70-130		
tert-Butylbenzene	< 0.5	0.5	ug/l	89		70-130		
Carbon Tetrachloride	< 0.5	0.5	ug/l	91		70-130		
Chlorobenzene	< 0.5	0.5	ug/l	91		70-130		
Chloroethane	< 0.5	0.5	ug/l	105		70-130		
Chloroform	< 0.5	0.5	ug/l	99		70-130		
Chloromethane	< 0.5	0.5	ug/l	92		70-130		
Dibromochloromethane	< 0.5	0.5	ug/l	101		70-130		
1,2-Dichlorobenzene	< 0.5	0.5	ug/l	90		70-130		
1,3-Dichlorobenzene	< 0.5	0.5	ug/l	92		70-130		
1,4-Dichlorobenzene	< 0.5	0.5	ug/l	91		70-130		
1,1-Dichloroethane	< 0.5	0.5	ug/l	106		70-130		
1,2-Dichloroethane	< 0.5	0.5	ug/l	106		70-130		
1,1-Dichloroethene	< 0.5	0.5	ug/l	103		70-130		
cis-1,2-Dichloroethene	< 0.5	0.5	ug/l	100		70-130		
trans-1,2-Dichloroethene	< 0.5	0.5	ug/l	112		70-130		
1,2-Dichloropropane	< 0.5	0.5	ug/l	109		70-130		
cis-1,3-Dichloropropene	< 0.5	0.5	ug/l	95		70-130		
trans-1,3-Dichloropropene	< 0.5	0.5	ug/l	99		70-130		
Ethyl t-Butyl Ether	< 0.5	0.5	ug/l	99		70-130		
Ethylbenzene	< 0.5	0.5	ug/l	93		70-130		
di-Isopropyl Ether	< 0.5	0.5	ug/l	101		70-130		
Isopropylbenzene	< 0.5	0.5	ug/l	88		70-130		
p-Isopropyltoluene	< 0.5	0.5	ug/l	88		70-130		
Methyl Tertiary Butyl Ether	< 0.5	0.5	ug/l	91		70-130		
Methylene Chloride	< 0.5	0.5	ug/l	101		70-130		
Naphthalene	< 0.5	0.5	ug/l	82		70-130		
n-Propylbenzene	< 0.5	0.5	ug/l	90		70-130		
1,1,2,2-Tetrachloroethane	< 0.5	0.5	ug/l	98		70-130		
Tetrachloroethene	< 0.5	0.5	ug/l	88		70-130		
Toluene	< 0.5	0.5	ug/l	103		70-130		
1,1,1-Trichloroethane	< 0.5	0.5	ug/l	95		70-130		

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/29/14 at 08:22 AM

Group Number: 1527167

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
1,1,2-Trichloroethane	< 0.5	0.5	ug/l	100		70-130		
Trichloroethene	< 0.5	0.5	ug/l	101		70-130		
Trichlorofluoromethane	< 0.5	0.5	ug/l	97		70-130		
1,2,4-Trimethylbenzene	< 0.5	0.5	ug/l	97		70-130		
1,3,5-Trimethylbenzene	< 0.5	0.5	ug/l	93		70-130		
Vinyl Chloride	< 0.5	0.5	ug/l	104		70-130		
Xylene (Total)	< 0.5	0.5	ug/l	95		70-130		

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: EPA Method 524.2

Batch number: S143591AA

	4-Bromofluorobenzene	1,2-Dichlorobenzene-d4
7720748	92	88
7720749	92	88
7720750	90	91
Blank	89	88
LCS	95	95
Limits:	80-120	80-120

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.



Analysis Request/Environmental Services Chain of Custody

For Lancaster Laboratories use only Acct. #: 12152
 Group #: 1527167 Sample #: 7720748-50

Client: Southside Oil	Acct. #:				Matrix		Analyses Requested			For Lab Use Only			
Project Name/#: 20025	PWSID #:				Potable	NPDES				FSC:			
Project Manager: Mark C. Steele	P.O. #:	51141-295999								SCR#:			
Sampler: <u>Jonathan Head</u>	Quote #:									Preservation Codes			
Name of State where samples were collected: Maryland													
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Other	Total # of Containers	Full List VOCs + OXY 524.2		Remarks		
1825 Perryville Road PI	<u>12/18/14</u>	<u>0826</u>	X		X				X				
1825 Perryville Road PM	<u>12/18/14</u>	<u>0818</u>	X		X				X				
1825 Perryville Road PE	<u>12/18/14</u>	<u>0826</u>	X		X				X				
Turnaround Time Requested (TAT) (please circle): <input checked="" type="radio"/> Normal <input type="radio"/> Rush				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
Date results are needed: _____				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
Rush results requested by (please circle): Phone _____ Fax _____ E-mail _____				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
Phone #: _____ Fax #: _____				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
E-mail address: _____				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
Data Package Options (please circle if required)		SDG Complete?			Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>	
Type I (validation/NJ reg)	TX-TRRP-13		Yes No			Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>
Type II (Tier II)	MA MCP	CT RCP				Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>
Type III (Reduced NJ)	State-specific QC (MS/MSD/Dup)? Yes No			Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
Type IV (CLP SOW)	(If yes, indicated QC sample and submit triplecate volume)			Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		
Type VI (Raw Data Only)	Internal COC required? Yes No			Relinquished by: <u>R. Weller</u>			Date <u>12/19/14</u>	Time <u>1300</u>	Received by: <u>R. Weller</u>	Date <u>12/19/14</u>	Time <u>1300</u>		

Lancaster Laboratories, Inc. 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 717-656-2800

Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

Inorganic Qualifiers

- B** Value is <CRDL, but \geq IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- * Duplicate analysis not within control limits
- + Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Lancaster Laboratories
Environmental

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Kleinfelder
550 West C Street, Suite 1200
San Diego CA 92101

December 29, 2014

Project: Southside Oil 20025

Submittal Date: 12/19/2014
Group Number: 1527170
PO Number: 51141-295999
State of Sample Origin: MD

Client Sample Description

1836 Perryville Road Grab Water

Lancaster Labs (LL) #

7720766

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>.

ELECTRONIC	Kleinfelder	Attn: Mark Steele
COPY TO		
ELECTRONIC	Kleinfelder	Attn: Venelda Williams
COPY TO		
ELECTRONIC	Kleinfelder	Attn: Jennifer Kozak
COPY TO		
ELECTRONIC	Kleinfelder	Attn: Paxton Wertz
COPY TO		



Lancaster Laboratories
Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Respectfully Submitted,



Amek Carter
Specialist

(717) 556-7252



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1836 Perryville Road Grab Water
Southside Oil 20025

LL Sample # PW 7720766
LL Group # 1527170
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 09:20 by JM

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/19/2014 15:50

Reported: 12/29/2014 08:22

1836P

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	EPA 524.2	ug/l	ug/l	
03648	Acetone	67-64-1	< 5.0	5.0	1
03648	Acrolein	107-02-8	< 50	50	1
03648	Acrylonitrile	107-13-1	< 10	10	1
03648	t-Amyl Methyl Ether	994-05-8	< 0.5	0.5	1
03648	Benzene	71-43-2	< 0.5	0.5	1
03648	Bromodichloromethane	75-27-4	< 0.5	0.5	1
03648	Bromoform	75-25-2	< 0.5	0.5	1
03648	Bromomethane	74-83-9	< 0.5	0.5	1
03648	2-Butanone	78-93-3	< 5.0	5.0	1
03648	t-Butyl Alcohol	75-65-0	< 25	25	1
03648	n-Butylbenzene	104-51-8	< 0.5	0.5	1
03648	sec-Butylbenzene	135-98-8	< 0.5	0.5	1
03648	tert-Butylbenzene	98-06-6	< 0.5	0.5	1
03648	Carbon Tetrachloride	56-23-5	< 0.5	0.5	1
03648	Chlorobenzene	108-90-7	< 0.5	0.5	1
03648	Chloroethane	75-00-3	< 0.5	0.5	1
03648	Chloroform	67-66-3	< 0.5	0.5	1
03648	Chloromethane	74-87-3	< 0.5	0.5	1
03648	Dibromochloromethane	124-48-1	< 0.5	0.5	1
03648	1,2-Dichlorobenzene	95-50-1	< 0.5	0.5	1
03648	1,3-Dichlorobenzene	541-73-1	< 0.5	0.5	1
03648	1,4-Dichlorobenzene	106-46-7	< 0.5	0.5	1
03648	1,1-Dichloroethane	75-34-3	< 0.5	0.5	1
03648	1,2-Dichloroethane	107-06-2	< 0.5	0.5	1
03648	1,1-Dichloroethene	75-35-4	< 0.5	0.5	1
03648	cis-1,2-Dichloroethene	156-59-2	< 0.5	0.5	1
03648	trans-1,2-Dichloroethene	156-60-5	< 0.5	0.5	1
03648	1,2-Dichloropropane	78-87-5	< 0.5	0.5	1
03648	cis-1,3-Dichloropropene	10061-01-5	< 0.5	0.5	1
03648	trans-1,3-Dichloropropene	10061-02-6	< 0.5	0.5	1
03648	Ethyl t-Butyl Ether	637-92-3	< 0.5	0.5	1
03648	Ethylbenzene	100-41-4	< 0.5	0.5	1
03648	di-Isopropyl Ether	108-20-3	< 0.5	0.5	1
03648	Isopropylbenzene	98-82-8	< 0.5	0.5	1
03648	p-Isopropyltoluene	99-87-6	< 0.5	0.5	1
03648	Methyl Tertiary Butyl Ether	1634-04-4	4.7	1.0	1
03648	Methylene Chloride	75-09-2	< 0.5	0.5	1
03648	Naphthalene	91-20-3	< 0.5	0.5	1
03648	n-Propylbenzene	103-65-1	< 0.5	0.5	1
03648	1,1,2,2-Tetrachloroethane	79-34-5	< 0.5	0.5	1
03648	Tetrachloroethene	127-18-4	< 0.5	0.5	1
03648	Toluene	108-88-3	< 0.5	0.5	1
03648	1,1,1-Trichloroethane	71-55-6	< 0.5	0.5	1
03648	1,1,2-Trichloroethane	79-00-5	< 0.5	0.5	1
03648	Trichloroethene	79-01-6	< 0.5	0.5	1
03648	Trichlorofluoromethane	75-69-4	< 0.5	0.5	1
03648	1,2,4-Trimethylbenzene	95-63-6	< 0.5	0.5	1
03648	1,3,5-Trimethylbenzene	108-67-8	< 0.5	0.5	1
03648	Vinyl Chloride	75-01-4	< 0.5	0.5	1
03648	Xylene (Total)	1330-20-7	< 0.5	0.5	1



Lancaster Laboratories
Environmental

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: 1836 Perryville Road Grab Water
Southside Oil 20025

LL Sample # PW 7720766
LL Group # 1527170
Account # 12152

Project Name: Southside Oil 20025

Collected: 12/18/2014 09:20 by JM

Kleinfelder

550 West C Street, Suite 1200
San Diego CA 92101

Submitted: 12/19/2014 15:50

Reported: 12/29/2014 08:22

1836P

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
03648	EPA Method 524.2	EPA 524.2	1	S143591AA	12/26/2014 01:04	Kevin A Sposito	1

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/29/14 at 08:22 AM

Group Number: 1527170

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: S143591AA			Sample number(s): 7720766					
Acetone	< 5.0	5.0	ug/l	119		70-130		
Acrolein	< 50	50.	ug/l	109		70-130		
Acrylonitrile	< 10	10.	ug/l	105		70-130		
t-Amyl Methyl Ether	< 0.5	0.5	ug/l	88		70-130		
Benzene	< 0.5	0.5	ug/l	97		70-130		
Bromodichloromethane	< 0.5	0.5	ug/l	97		70-130		
Bromoform	< 0.5	0.5	ug/l	103		70-130		
Bromomethane	< 0.5	0.5	ug/l	102		70-130		
2-Butanone	< 5.0	5.0	ug/l	95		70-130		
t-Butyl Alcohol	< 25	25.	ug/l	111		70-130		
n-Butylbenzene	< 0.5	0.5	ug/l	100		70-130		
sec-Butylbenzene	< 0.5	0.5	ug/l	90		70-130		
tert-Butylbenzene	< 0.5	0.5	ug/l	89		70-130		
Carbon Tetrachloride	< 0.5	0.5	ug/l	91		70-130		
Chlorobenzene	< 0.5	0.5	ug/l	91		70-130		
Chloroethane	< 0.5	0.5	ug/l	105		70-130		
Chloroform	< 0.5	0.5	ug/l	99		70-130		
Chloromethane	< 0.5	0.5	ug/l	92		70-130		
Dibromochloromethane	< 0.5	0.5	ug/l	101		70-130		
1,2-Dichlorobenzene	< 0.5	0.5	ug/l	90		70-130		
1,3-Dichlorobenzene	< 0.5	0.5	ug/l	92		70-130		
1,4-Dichlorobenzene	< 0.5	0.5	ug/l	91		70-130		
1,1-Dichloroethane	< 0.5	0.5	ug/l	106		70-130		
1,2-Dichloroethane	< 0.5	0.5	ug/l	106		70-130		
cis-1,2-Dichloroethene	< 0.5	0.5	ug/l	103		70-130		
trans-1,2-Dichloroethene	< 0.5	0.5	ug/l	100		70-130		
1,2-Dichloropropane	< 0.5	0.5	ug/l	112		70-130		
cis-1,3-Dichloropropene	< 0.5	0.5	ug/l	109		70-130		
trans-1,3-Dichloropropene	< 0.5	0.5	ug/l	95		70-130		
Ethyl t-Butyl Ether	< 0.5	0.5	ug/l	99		70-130		
Ethylbenzene	< 0.5	0.5	ug/l	99		70-130		
di-Isopropyl Ether	< 0.5	0.5	ug/l	93		70-130		
Isopropylbenzene	< 0.5	0.5	ug/l	101		70-130		
p-Isopropyltoluene	< 0.5	0.5	ug/l	88		70-130		
Methyl Tertiary Butyl Ether	< 0.5	0.5	ug/l	88		70-130		
Methylene Chloride	< 0.5	0.5	ug/l	90		70-130		
Naphthalene	< 0.5	0.5	ug/l	98		70-130		
n-Propylbenzene	< 0.5	0.5	ug/l	82		70-130		
1,1,2,2-Tetrachloroethane	< 0.5	0.5	ug/l	88		70-130		
Tetrachloroethene	< 0.5	0.5	ug/l	103		70-130		
Toluene	< 0.5	0.5	ug/l	95		70-130		
1,1,1-Trichloroethane	< 0.5	0.5	ug/l					

*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Kleinfelder
Reported: 12/29/14 at 08:22 AM

Group Number: 1527170

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
1,1,2-Trichloroethane	< 0.5	0.5	ug/l	100		70-130		
Trichloroethene	< 0.5	0.5	ug/l	101		70-130		
Trichlorofluoromethane	< 0.5	0.5	ug/l	97		70-130		
1,2,4-Trimethylbenzene	< 0.5	0.5	ug/l	97		70-130		
1,3,5-Trimethylbenzene	< 0.5	0.5	ug/l	93		70-130		
Vinyl Chloride	< 0.5	0.5	ug/l	104		70-130		
Xylene (Total)	< 0.5	0.5	ug/l	95		70-130		

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: EPA Method 524.2		
Batch number: S143591AA		
	4-Bromofluorobenzene	1,2-Dichlorobenzene-d4
7720766	88	87
Blank	89	88
LCS	95	95
Limits:	80-120	80-120

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.



Analysis Request/Environmental Services Chain of Custody

For Lancaster Laboratories use only Acct. #. 1715
Group #. _____ Sample #. _____
1527170 7720766

Lancaster Laboratories, Inc. 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 717-656-2300

Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

Inorganic Qualifiers

- B** Value is <CRDL, but \geq IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- * Duplicate analysis not within control limits
- + Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.